


SITE DATA


PARCEL ID:	R06211-001-011-000
CURRENT ZONING:	R-15
CAMA LAND USE CLASSIFICATION:	WATERSHED RESOURCE PROTECTION
PROJECT ADDRESS:	256 PEIFFER AVE. WILMINGTON, NC 28409
CURRENT OWNER:	LANGSTON ALAN LYNN SR 256 PEIFFER AVE WILMINGTON, NC 28409
TOTAL ACREAGE IN PROJECT BOUNDARY:	60,995 S.F. (1.4 AC.)
EXISTING IMPERVIOUS AREAS:	
EX. BUILDINGS:	2,579 S.F.
GRAVEL DRIVEWAY:	1,538 S.F.
TOTAL:	4,117 S.F.
EXISTING IMPERVIOUS AREAS TO BE REMOVED:	
GRAVEL DRIVEWAY:	1,538 S.F.
EX. BUILDINGS:	915 S.F.
TOTAL:	2,453 S.F.



REVISIONS


NO.	DESCRIPTION

INTRACOASTAL ENGINEERING, PLLC
 5725 Oleander Dr. Unit E-7
 Wilmington, North Carolina 28403
 Phone: 910.859.8983
 Email: Charlie@intracoastalengineering.com
 License Number: P-0662



- NOTES:**
- PROTECT CRITICAL ROOT ZONE (CRZ) OF TREES PRIOR TO CONSTRUCTION. CLEARLY MARK THE TREES AND ERECT A PROTECTIVE BARRIER AT THE CRZ. BARRIER SHALL BE MAINTAINED UNTIL CONSTRUCTION IS COMPLETE.
 - CRZ RADIUS IS 1 FT PER INCH OF TREE DIAMETER AT BREAST HEIGHT (DBH).
 - IF CONSTRUCTION OCCURS WITHIN THE CRZ, AT LEAST 12" OF MULCH AND/OR LOGGING MATS SHALL BE PLACED WHERE MACHINERY MANEUVERS TO REDUCE SOIL COMPACTION IN THIS ZONE.
 - WHERE SIDEWALKS AND PATHWAYS PASS WITHIN CRZ, EXTRA CARE SHALL BE TAKEN TO AVOID DAMAGE TO THE ROOTS. ALTERNATE CONSTRUCTION METHODS, SUCH AS A REINFORCED SIDEWALK, SHALL BE IMPLEMENTED AS NECESSARY.
 - FOR ALL TREES, CUTTING OF LARGE STRUCTURAL ROOTS LOCATED NEAR THE BASE OF THE TRUNK IS PROHIBITED. DO NOT COMPACT SOIL BENEATH TREES. NO VEHICLE SHALL BE ALLOWED TO PARK UNDER TREES. NO MATERIALS OR EQUIPMENT SHALL BE STORED BENEATH TREES, DAMAGING THE BARK WITH LAWN MOWERS, CONSTRUCTION EQUIPMENT, OR ANYTHING ELSE IS PROHIBITED. CONTRACTOR SHALL REPAIR DAMAGE TO TREES.
 - FAILING TO INSTALL OR MAINTAIN PROTECTION MEASURES SHALL RESULT IN A STOP WORK ORDER AND FINE OF \$500/DAY. DISTURBANCE OTHER THAN THAT ALLOWED ON THE APPROVED PLAN WILL REQUIRE OWNER TO POST A LETTER OF CREDIT FOR 3 YRS FOR TREE MITIGATION.

DATE:	JAN, 2015	CITY OF WILMINGTON NORTH CAROLINA
DRAWN BY:	JSR	CITY OF WILMINGTON ENGINEERING
CHECKED BY:	RDG, P.E.	PO BOX 1810 WILMINGTON, NC 28402 (910) 341-7807
SCALE:	NOT TO SCALE	SD 15-09




- NOTES:**
- THE TREE PROTECTION FENCING SHALL NOT BE VIOLATED FOR THE ENTIRE DURATION OF THE PROJECT WITHOUT APPROVAL FROM URBAN FORESTRY STAFF.
 - WARNING SIGNS TO BE MADE OF DURABLE, WEATHERPROOF MATERIAL. LETTERS TO BE 3" HIGH, MINIMUM, CLEARLY LEGIBLE AND SPACED AS DETAILED.
 - SIGNS SHALL BE PLACED AT 50' MAXIMUM INTERVALS. PLACE A SIGN AT EACH END OF LINEAR TREE PROTECTION AND 50' ON CENTER THEREAFTER. FOR TREE PROTECTION AREAS LESS THAN 100' IN PERIMETER, PROVIDE NO LESS THAN TWO SIGNS PER PROTECTION AREA.
 - ATTACH SIGNS SECURELY TO FENCE POSTS AND FABRIC. MAINTAIN TREE PROTECTION FENCE AND SIGNS THROUGHOUT DURATION OF PROJECT.
 - TREE PROTECTION FENCING AND SIGNAGE SHALL BE REMOVED AFTER CONSTRUCTION.
 - ADDITIONAL SIGNS MAY BE REQUIRED BY CITY OF WILMINGTON, BASED ON ACTUAL FIELD CONDITIONS.

DATE:	JAN, 2015	CITY OF WILMINGTON NORTH CAROLINA
DRAWN BY:	JSR	CITY OF WILMINGTON ENGINEERING
CHECKED BY:	RDG, P.E.	PO BOX 1810 WILMINGTON, NC 28402 (910) 341-7807
SCALE:	NOT TO SCALE	SD 15-09

Approved Construction Plan

Name:	_____	Date:	_____
Planning:	_____	Date:	8/23/18
Public Utilities:	N/A		
Traffic:	W. G. H. Dowd 8-22-18		
Fire:	C. Wal 8/22/18		



NOW OR FORMERLY HINSON AMY L DEED BOOK: 6128, PAGE: 1326 ZONING: R-15 SINGLE FAMILY RESIDENCE

NOW OR FORMERLY KINLAW WADE H III TINA MARIE DEED BOOK: 2078, PAGE: 565 ZONING: R-15 SINGLE FAMILY RESIDENCE

NOW OR FORMERLY APTO ENTERPRISES LLC DEED BOOK: 6108, PAGE: 1169 ZONING: R-15 SINGLE FAMILY RESIDENCE

NOW OR FORMERLY HADSALL CHRISTOPHER ETAL DEED BOOK: 6086, PAGE: 257 ZONING: R-15 SINGLE FAMILY RESIDENCE

NOW OR FORMERLY SMBW ENTERPRISES LLC DEED BOOK: 5788, PAGE: 2290 ZONING: R-15 SINGLE FAMILY RESIDENCE

NOW OR FORMERLY CHAVIS VERNON R HRS DEED BOOK: 9912, PAGE: 1003 ZONING: R-15 SINGLE FAMILY RESIDENCE

NOW OR FORMERLY OWENS GOLIE L ETAL DEED BOOK: 9901, PAGE: 2994 ZONING: R-15 SINGLE FAMILY RESIDENCE

NOW OR FORMERLY KENTROLIS HARRY N III DEED BOOK: 9999, PAGE: E911 ZONING: R-15 SINGLE FAMILY RESIDENCE

CITY OF WILMINGTON NORTH CAROLINA
 Public Services • Engineering Division
 APPROVED DRAINAGE PLAN
 Date: 8/23/18
 2018036
 Signed: _____


EXISTING CONDITIONS/TREE REMOVAL PLAN FOR CONWAY PEIFFER AVE. SUBDIVISION
 CITY OF WILMINGTON
 WILMINGTON TOWNSHIP
 NEW HANOVER COUNTY, NC

PROFESSIONAL SEAL
 CHARLES D. CAZIER
 ENGINEER
 032555
 8/20/18

CLIENT INFORMATION:
 Seagate Landing, LLC
 Stephen Conway
 6252 Towles Road
 Wilmington, NC 28409
 Phone: 910-538-9737

DRAWN:	JAE	SHEET SIZE:	24x36
CHECKED:	CDC	DATE:	8/8/2018
APPROVED:	CDC	SCALE:	1" = 30'
PROJECT NUMBER:	2018-023		


DRAWING NUMBER: **C-0**



SITE DATA

PARCEL ID:	R06211-001-011-000
CURRENT ZONING:	R-15
CAMA LAND USE CLASSIFICATION:	WATERSHED RESOURCE PROTECTION
PROJECT ADDRESS:	256 PEIFFER AVE. WILMINGTON, NC 28409
CURRENT OWNER:	LANGSTON ALAN LYNN SR 256 PEIFFER AVE WILMINGTON, NC 28409
TOTAL ACRES IN PROJECT BOUNDARY:	60,995 S.F. (1.4 AC.)
TOTAL DISTURBED AREA:	0.92 AC.
BUILDING HEIGHT:	35' MAX
BUILDING SETBACKS:	
FRONT:	REQUIRED= 30'
SIDE:	REQUIRED= 10'(15' CORNER)
REAR:	REQUIRED= 25'
PROPOSED ON-SITE IMPERVIOUS AREAS:	
ASPHALT DRIVEWAY	5,806 S.F.
CONCRETE DRIVEWAY APRON	140 S.F.
TOTAL	5,946 S.F. ÷ 60,995 S.F. = 9.7%
TOTAL ON-SITE IMPERVIOUS AREAS:	
PROPOSED IMPERVIOUS AREA:	5,946 S.F.
EX. IMPERVIOUS AREA TO REMAIN:	1,574 S.F.
TOTAL:	7,520 S.F. ÷ 60,995 S.F. = 12.3%
OPEN SPACE REQUIREMENT: (0.03 AC. per dwelling unit)	
.03 X 3 du=	0.09 AC
PROVIDED:	0.0 AC (EXEMPT SUBDIVISION)
EXISTING SEWER AND WATER DEMAND:	240 GPD / 2 BEDROOM RES.
PROPOSED SEWER AND WATER DEMAND:	360 GPD / 3 BEDROOM RES. X 3 UNITS: 1,080 GPD

- DEVELOPMENT NOTES:**
- ALL DEVELOPMENT SHALL BE IN ACCORDANCE WITH THE CITY OF WILMINGTON LAND DEVELOPMENT CODE.
 - PROJECT SHALL COMPLY WITH ALL FEDERAL, STATE & NEW HANOVER COUNTY REGULATIONS.
 - REQUESTING TO PROVIDE A PAYMENT IN LIEU OF SIDEWALK AT PEIFFER AVE.
- UTILITY NOTES:**
- EXISTING WATER AND SANITARY SEWER SERVICES ARE CURRENTLY AVAILABLE TO THE SITE FROM CAPE FEAR PUBLIC UTILITY AUTHORITY PUBLIC MAINS.
 - ALL PROPOSED UTILITY SERVICES, SUCH AS ELECTRIC POWER, CATV, GAS & TELEPHONE SHALL BE INSTALLED UNDERGROUND.
 - ALL WATER & SEWER UTILITIES TO BE INSTALLED PER CPWA TECHNICAL SPECIFICATIONS & STANDARDS.
 - PROJECT SHALL COMPLY WITH CPWA CROSS CONNECTION CONTROL REQUIREMENTS. WATER METER(S) CANNOT BE RELEASED UNTIL ALL REQUIREMENTS ARE MET AND N.C.D.E.N.R. HAS ISSUED THEIR "FINAL APPROVAL". CALL 332-6558 FOR INFORMATION.
 - ANY BACKFLOW PREVENTION DEVICES REQUIRED BY THE CPWA WILL NEED TO BE ON THE LIST OF APPROVED DEVICES BY USCFCOHR OR ASSE.
 - IF CONTRACTOR DESIRES CPWA WATER FOR CONSTRUCTION, HE SHALL APPLY IN ADVANCE FOR THIS SERVICE AND MUST PROVIDE A REDUCED PRESSURE ZONE (RPZ) BACKFLOW PREVENTION DEVICE ON THE DEVELOPER'S SIDE OF THE WATER METER BOX.
 - WHEN PVC WATER MAINS AND SERVICES ARE PROPOSED, THE PIPES ARE TO BE MARKED WITH NO. 10 INSULATED, SINGLE-STRAND COPPER WIRE INSTALLED & STRAPPED TO THE PIPES WITH DUCT TAPE. THIS IS TO BE ACCESSIBLE IN ALL VALVES AND METER BOXES TO AID IN FUTURE LOCATION OF FACILITIES.
 - SEWER GUARDS REQUIRED AT ALL MANHOLES. STAINLESS STEEL SEWER GUARDS REQUIRED AT MANHOLES LOCATED IN TRAFFIC AREAS.
 - SERVICES SHALL BE PERPENDICULAR TO MAIN AND TERMINATE AT RIGHT-OF-WAY LINE. SERVICES IN CUL-DE-SACS ARE REQUIRED TO BE PERPENDICULAR OR MUST ORIGINATE IN MANHOLE AND TERMINATE AT RIGHT-OF-WAY LINE.
 - ALL SERVICES TYING INTO DUCTILE IRON MAINS SHALL BE CONSTRUCTED OF CLASS 50 D.I.P. WITH PROTECTO 401 CERAMIC EPOXY LINING.
 - MINIMUM 10' UTILITIES EASEMENT PROVIDED ALONG THE FRONTAGE OF ALL LOTS AND AS SHOWN FOR NEW DEVELOPMENTS.
 - NO FLEXIBLE COUPLINGS SHALL BE USED.
 - ALL STAINLESS STEEL FASTENERS SHALL BE 316.
 - THE CONTRACTOR IS RESPONSIBLE FOR THE LOCATION AND PROTECTION OR EXISTING UTILITIES DURING CONSTRUCTION. CALL U-LOCO AT 1-800-632-4949. CONTRACTOR IS RESPONSIBLE FOR THE REPAIR AND REPLACEMENT OF ANY UTILITIES, CURB & GUTTER, PAVEMENT, ETC. THAT MAY BE DAMAGED DURING CONSTRUCTION. DAMAGED ITEMS SHALL BE REPAIRED TO AT LEAST THE QUALITY OR WORKMANSHIP FOUND IN THE ORIGINAL ITEM.
 - THE BELLSOUTH CONTACT IS STEVE DAVYLAUT, BUILDING INDUSTRY CONSULTANT, AT 910-392-9712. CONTACT HIM PRIOR TO STARTING THE PROJECT IN ORDER TO FACILITATE GOOD COMMUNICATION AND MAXIMUM FLEXIBILITY.
 - THE PROCESS FOR TELEPHONE CABLE PLACEMENT: * FINAL GRADE WILL NEED TO BE ESTABLISHED. * POWER WILL PLACE THEIR CABLE FIRST - APPROXIMATELY 3' DEEP. * BELLSOUTH & CABLE TV WILL THEN PLACE THEIR CABLE AT APPROXIMATELY 2' DEEP.
 - SOLID WASTE DISPOSAL IS COW CURBSIDE PICKUP.
 - SHOULD ADDITIONAL SERVICES BE LOCATED DURING CONSTRUCTION, THEY MUST EITHER BE UTILIZED OR ABANDONED.
 - WATER METERS & SS CLEANOUTS TO BE 18" INSIDE P.U.E.
 - 3" SEPARATION BETWEEN JOINTS, FITTINGS, SERVICE SADDLES AND WYES ARE REQUIRED FOR SS AND WATER TAPS.
- FIRE & SAFETY NOTES:**
- PARKING AND LANDSCAPING CANNOT BLOCK FIRE HYDRANTS.
 - ALL WEATHER ACCESS ROADS MUST BE MAINTAINED AROUND CONSTRUCTION SITE AT ALL TIMES.
 - HYDRANTS SHALL BE OF SUFFICIENT NUMBERS TO ACCOMMODATE BASE FLOW REQUIREMENTS OF STRUCTURE.
 - NEW HYDRANTS MUST BE BROUGHT INTO SERVICE PRIOR TO COMBUSTIBLE MATERIALS DELIVERED TO JOB SITE.
 - IN ADDITION TO THE STANDARD COMMENTS, ADDITIONAL FIRE PROTECTION AND ACCESSIBILITY REQUIREMENTS MAY BE REQUIRED DUE TO ANY SPECIAL CIRCUMSTANCES CONCERNING THE PROJECT.
- TRAFFIC NOTES:**
- ALL PAVEMENT MARKINGS IN PUBLIC RIGHTS-OF-WAY AND FOR DRIVEWAYS ARE TO BE THERMOPLASTIC AND MEET CITY AND/OR NCDOT STANDARDS. (DETAIL SD 15-13 & SD 11-3 COFW TECH STDS)
 - ALL SIGNS AND PAVEMENT MARKINGS IN AREAS OPEN TO PUBLIC TRAFFIC ARE TO MEET MUTCD (MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES) STANDARDS. (DETAIL SD 15-13 & SD 11-3 COFW TECH STDS)
 - ALL TRAFFIC CONTROL SIGNS AND MARKINGS OFF THE RIGHT-OF-WAY ARE TO BE MAINTAINED BY THE PROPERTY OWNER IN ACCORDANCE WITH MUTCD STANDARDS.
 - A UTILITY CUT PERMIT IS REQUIRED FOR EACH OPEN CUT OF A CITY STREET. NOTE THIS ON THE PLAN AND CONTACT 341-5888 FOR MORE DETAILS. IN CERTAIN CASES AN ENTIRE RESURFACING OF THE AREA BEING OPEN CUT MAY BE REQUIRED.
 - IT SHALL BE THE RESPONSIBILITY OF THE SUBDIVIDER TO ERECT OFFICIAL STREET NAME SIGNS AT ALL INTERSECTIONS ASSOCIATED WITH THE SUBDIVISION IN ACCORDANCE WITH THE TECHNICAL STANDARDS AND SPECIFICATIONS MANUAL THE SUBDIVIDER MAY ACQUIRE AND ERECT OFFICIAL STREET NAME SIGNS OR MAY CHOOSE TO CONTRACT WITH THE CITY TO INSTALL THE STREET SIGNS AND THE SUBDIVIDER SHALL PAY THE COST OF SUCH INSTALLATION. CONTACT TRAFFIC ENGINEERING AT 341-7888 TO DISCUSS INSTALLATION OF TRAFFIC AND STREET NAME SIGNS. PROPOSED STREET NAMES MUST BE APPROVED PRIOR TO INSTALLATION OF STREET NAME SIGNS.
 - ANY BROKEN OR MISSING SIDEWALK PANELS, DRIVEWAY PANELS AND CURBING WILL BE REPLACED.
 - A LANDSCAPING PLAN INDICATING THE LOCATION OF REQUIRED STREET TREES SHALL BE SUBMITTED TO THE CITY OF WILMINGTON TRAFFIC ENGINEERING DIVISION AND PARKS AND RECREATION DEPARTMENT FOR REVIEW AND APPROVAL PRIOR TO THE RECORDING OF THE FINAL PLAT. (SD 15-14 COFW TECH STDS)
 - CONTACT TRAFFIC ENGINEERING AT 341-7888 FORTY-EIGHT HOURS PRIOR TO ANY EXCAVATION IN THE RIGHT OF WAY.
 - ALL PROPOSED VEGETATION WITHIN SIGHT TRIANGLES SHALL NOT INTERFERE WITH CLEAR VISUAL SIGHT LINES FROM 30'-10'. (SEC.18-556 COFW LDC)



REVISIONS

NO.	DATE	DESCRIPTION

INTRACOASTAL ENGINEERING, PLLC
 5725 Olander Dr. Unit E-7
 Wilmington, North Carolina 28403
 Phone: 910.859.8983
 Email: charlie@intracoastalengineering.com
 License Number: P-0662

SITE, GRADING, DRAINAGE, & UTILITIES PLAN FOR CONWAY PEIFFER AVE. SUBDIVISION
 CITY OF WILMINGTON
 WILMINGTON TOWNSHIP
 NEW HANOVER COUNTY, NC

PROFESSIONAL SEAL
 NORTH CAROLINA PROFESSIONAL ENGINEER
 CHARLES D. CENTER
 032555
 8/23/18

CLIENT INFORMATION:
 Seagate Landing, LLC
 Stephen Conway
 6252 Towles Road
 Wilmington, NC 28409
 Phone: 910-538-9737

DRAWN:	JAE	SHEET SIZE:	24x36
CHECKED:	CDC	DATE:	8/8/2018
APPROVED:	CDC	SCALE:	1" = 30'
PROJECT NUMBER:	2018-023		


DRAWING NUMBER: **C-1**
 2 OF 5


RECEIVED
 AUG 23 2018
 PLANNING DIVISION

Approved Construction Plan

Name	Date
Planning <i>Piccole Damien</i>	8/23/18
Public Utilities <i>NIA</i>	
Traffic <i>W. Smith 8-22-18</i>	
Fire <i>C. Wal 8/22/18</i>	

APPROVED DRAINAGE PLAN
 Date: 8/23/18
 2018036
 Signed: *[Signature]*






NOTES:
1. CLASS "B" RIP RAP TO BE USED FOR ALL ENERGY DISSIPATOR AREAS.

ENERGY DISSIPATOR


NTS



NOTE:
CONSTRUCTION ENTRANCE TO BE 12' OR ENTIRE WIDTH OF ENTRANCE, WHICHEVER IS GREATER.

TEMPORARY GRAVEL CONSTRUCTION ENTRANCE


NTS



1. SWALES TO BE LINED WITH EXCELSIOR MAT & SEEDED IN ACCORDANCE WITH SPECIFICATIONS IMMEDIATELY.

TYPICAL 3:1 GRASS SWALE

NTS




NOTES:
1. FENCE FABRIC SHALL BE A MIN. OF 32" IN WIDTH AND SHALL HAVE A MIN. OF SIX LINE WIRES WITH 12" STAY SPACING.
2. FABRIC SHALL BE FOR EROSION CONTROL AND MIN. OF 36" IN WIDTH. FABRIC SHALL BE FASTENED ADEQUATELY TO THE WIRE FABRIC AS DIRECTED BY THE ENGINEER.
3. STEEL POST SHALL BE 5'-0" IN HEIGHT AND BE OF THE SELF-FASTENER STEEL ANGLE TYPE.

TEMPORARY SILT FENCE

NTS

SITE WORK NOTES:

1. THE CONTRACTOR SHALL VISIT THE SITE AND BECOME FAMILIAR WITH EXISTING CONDITIONS BOTH ON AND ADJACENT TO THE SITE.
2. CLEARING: CONTRACTOR SHALL REMOVE ALL TREES AND VEGETATION WITHIN LIMITS OF CONSTRUCTION UNLESS OTHERWISE DESIGNATED TO REMAIN.
3. GRUBBING AND STRIPPING: CONTRACTOR SHALL RAKE AND REMOVE ROOTS, STUMPS, VEGETATION, DEBRIS, EXISTING STRUCTURES ABOVE AND BELOW GRADE, ORGANIC MATERIAL OR ANY OTHER UNSUITABLE MATERIAL WITHIN LIMITS OF CONSTRUCTION.
4. MUCKING: CONTRACTOR SHALL COORDINATE WITH OWNER AND THEIR GEOTECHNICAL REPRESENTATIVE TO COORDINATE REMOVAL OF ANY SOFT AREAS.
5. DISPOSAL: CLEARED, GRUBBED, STRIPPED OR OTHER WASTE MATERIAL SHALL BE REMOVED FROM SITE AND DISPOSED OF IN A PROPERLY PERMITTED FACILITY.
6. FILL AND COMPACTION SHOULD COMPLY WITH GEOTECHNICAL RECOMMENDATIONS.
7. THE CONTRACTOR SHALL NOTE THAT THE GRADING PLAN MAY NOT REPRESENT A BALANCED EARTHWORK CONDITION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CUT AND FILL QUANTITIES AND COMPLETE INSTALLATION TO SPECIFIED GRADES.
8. THE CONTRACTOR SHALL FURNISH SUITABLE BORROW MATERIAL FROM AN OFF-SITE PROPERLY PERMITTED FACILITY AS REQUIRED.
9. INFORMATION CONCERNING UNDERGROUND UTILITIES WAS OBTAINED FROM AVAILABLE RECORDS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO DETERMINE THE EXACT ELEVATIONS AND LOCATIONS OF ALL EXISTING UTILITIES AT ALL CROSSINGS PRIOR TO COMMENCING TRENCH EXCAVATION. IF ACTUAL CLEARANCES ARE LESS THAN INDICATED ON PLAN, THE CONTRACTOR SHALL CONTACT THE DESIGN ENGINEER BEFORE PROCEEDING WITH CONSTRUCTION. ANY CONDITION DISCOVERED OR EXISTING THAT WOULD NECESSITATE A MODIFICATION OF THESE PLANS SHALL BE BROUGHT TO THE ATTENTION OF THE DESIGN ENGINEER BEFORE PROCEEDING WITH CONSTRUCTION.
10. NO CONSTRUCTION IS TO BEGIN BEFORE LOCATION OF EXISTING UTILITIES HAS BEEN DETERMINED. CALL "NC ONE-CALL" AT LEAST 48 HOURS BEFORE COMMENCING CONSTRUCTION.
11. THE CONTRACTOR IS RESPONSIBLE FOR THE LOCATION AND PROTECTION OF ALL EXISTING UTILITIES DURING CONSTRUCTION. BEFORE COMMENCING ANY EXCAVATIONS IN OR ALONG ROADWAYS OR RIGHT-OF-WAYS, PUBLIC AREAS OR IN PRIVATE EASEMENTS, THE CONTRACTOR SHALL NOTIFY ALL APPROPRIATE PERSONNEL OF THEIR INTENT TO EXCAVATE, IN WRITING, NOT LESS THAN 10 DAYS PRIOR TO EXCAVATING.
12. THE CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE DISCONNECTION/ RECONNECTION AND/OR THE RELOCATION OF ALL EXISTING UTILITIES WITH APPROPRIATE PERSONNEL.
13. CONTRACTOR SHALL ADJUST ALL MANHOLES, VALVE & CURB BOXES TO FINAL GRADE UPON COMPLETION OF ALL CONSTRUCTION. ANY BOXES DAMAGED OR OTHERWISE DISTURBED BY THE CONTRACTOR SHALL BE REPAIRED AT THE EXPENSE OF THE CONTRACTOR.
14. EXISTING SURVEYING PERFORMED BY MICHAEL UNDERWOOD and ASSOCIATES, PA Firm License #C-0615
15. THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AT THE SITE. FURTHERMORE THE CONTRACTOR SHALL REPORT ALL DISCREPANCIES OR QUESTIONS TO THE ENGINEER PRIOR TO INSTALLATION.
16. THE CONTRACTOR SHALL PROVIDE ANY AND ALL LAYOUT REQUIRED TO CONSTRUCT HIS WORK UNLESS OTHERWISE DIRECTED BY OWNER.
17. ALL SERVICE CONNECTIONS SHALL BE INSTALLED TO MEET ALL LOCAL, STATE, AND CFPWA CODES. METERS, TAPS, MATERIALS, WORKMANSHIP AND ALL FEES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND SHALL COMPLY WITH ALL REQUIREMENTS.
18. ALL BACKFILL FROM UTILITY INSTALLATION MUST BE COMPACTED OR AMENDED TO PROVIDE TRAFFIC BEARING CAPACITY. GEOTECHNICAL ENGINEER TO BE CONSULTED AT CONTRACTORS COST AS NECESSARY.
19. ALL AREAS SHALL BE GRADED FOR POSITIVE DRAINAGE. CONTRACTOR SHALL REPORT ANY DISCREPANCIES TO THE ENGINEER PRIOR TO INSTALLATION. ALL AREAS SHALL BE SLOPED TO DRAIN AWAY FROM BUILDINGS AT ALL TIMES.
20. CONCRETE FOR WALKS, CURBS AND DRIVES SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3000 PSI @ 28 DAYS - AIR ENTRAINED.
21. FIELD TESTING SHALL BE DONE BY AN INDEPENDENT TESTING LABORATORY PAID FOR BY THE OWNER. FURTHER TESTING REQUIRED DUE TO A FAILED TEST WILL BE PAID FOR BY THE CONTRACTOR.
22. ALL SIDEWALKS SHALL BE FREE OF CRACKS, BREAKS, OR ANY OTHER DEFECT PRIOR TO RECEIVING A CERTIFICATE OF OCCUPANCY.



REVISIONS




INTRACOASTAL ENGINEERING, PLLC
 5725 Oleander Dr. Unit E-7
 Wilmington, North Carolina 28403
 Phone: 910.859.8983
 Email: charlie@intracoastalengineering.com
 License Number: P-0662

DETAILS FOR
CONWAY PEIFFER AVE. SUBDIVISION
 CITY OF WILMINGTON
 WILMINGTON TOWNSHIP
 NEW HANOVER COUNTY, NC

Charles D. Cazier
 8/23/18

CLIENT INFORMATION:
 Seagate Landing, LLC
 Stephen Conway
 6252 Towles Road
 Wilmington, NC 28409
 Phone: 910-538-9737

DRAWN:	JAE	SHEET SIZE:	24x36
CHECKED:	CDC	DATE:	8/8/2018
APPROVED:	CDC	SCALE:	NTS
PROJECT NUMBER:	2018-023		
DRAWING NUMBER:	C-2		



34' PRIVATE EASEMENT DRIVEWAY SECTION
NTS

DATE: JUNE 1, 2015
 DRAWN BY: JSR
 CHECKED BY: D.E.C., P.E.
 SCALE: NOT TO SCALE

RESIDENTIAL DRIVEWAY PLAN (VERTICAL CURB)
 1 of 2

CITY OF WILMINGTON
 NORTH CAROLINA
 CITY OF WILMINGTON ENGINEERING
 PO BOX 1210
 WILMINGTON, N.C. 28402
 (910) 341-7807

SD 3-03.1

DATE: JUNE 1, 2015
 DRAWN BY: JSR
 CHECKED BY: D.E.C., P.E.
 SCALE: NOT TO SCALE

RESIDENTIAL DRIVEWAY SECTIONS (VERTICAL CURB)
 2 of 2

CITY OF WILMINGTON
 NORTH CAROLINA
 CITY OF WILMINGTON ENGINEERING
 PO BOX 1210
 WILMINGTON, N.C. 28402
 (910) 341-7807

SD 3-03.2

CITY OF WILMINGTON
 NORTH CAROLINA
 Public Services • Engineering Division
 APPROVED DRAINAGE PLAN
 Date: 8/23/18 Permit #: 2018036
 Signed: *[Signature]*

Approved Construction Plan
 Name: Nicole Smith Date: 8/23/18
 Planning: *[Signature]*
 Public Utilities: N/A
 Traffic: *[Signature]* 8-22-18
 Fire: *[Signature]* 8/22/18