



Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

COMPREHENSIVE STORMWATER MANAGEMENT PERMIT

HIGH DENSITY DEVELOPMENT

SECTION 1 – APPROVAL

Having reviewed the application and all supporting materials, the City of Wilmington has determined that the application is complete and the proposed development meets the requirements of the City of Wilmington's Comprehensive Stormwater Ordinance.

PERMIT HOLDER: Garris Road Storage Holdings I, LLC

PROJECT:

Garris Road Mini Storage (formerly Garris Subdivision)

ADDRESS:

20 Garris Road (5414 Market Street)

PERMIT #:

2000013R1

DATE: May 11, 2018

Therefore, the above referenced site is hereby approved and subject to all conditions set forth in Section 2 of this approval and all applicable provisions of the City of Wilmington Comprehensive Stormwater Management Ordinance.

This permit shall be effective from the date of issuance until May 11, 2028 and shall be subject to the following specified conditions and limitations:

Section 2 - CONDITIONS

- 1. This approval is valid only for the stormwater management system as proposed on the approved stormwater management plans dated May 3, 2018.
- 2. The project will be limited to the amount and type of built-upon area indicated in Section IV of the Stormwater Management Application Form submitted as part of the approved stormwater permit application package, and per the approved plans. The subdivision is permitted for three (3) lots; Lot 1 @ 53,688 square feet, Lot 2 @ 64,795 square feet and Lot 3 @ 85,160 square feet of built-upon area. The tract will be limited to a maximum of 234,292 square feet of built-upon area.
- 3. This permit shall become void unless the facilities are constructed in accordance with the approved stormwater management plans, specifications and supporting documentation, including information provided in the application and supplements.
- 4. The runoff from all built-upon area within any permitted drainage area must be directed into the permitted stormwater control system for that drainage area.





Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

- 5. The permittee shall submit a revised stormwater management application packet to the City of Wilmington and shall have received approval prior to construction, for any modification to the approved plans, including, but not limited to, those listed below:
 - a. Any revision to any item shown on the approved plans, including the stormwater management measures, built-upon area, details, etc.

 Redesign or addition to the approved amount of built-upon area or to the drainage area.

c. Further subdivision, acquisition, lease or sale of any part of the project area.

d. Filling in, altering, or piping of any vegetative conveyance shown on the approved plan.

e. Construction of any permitted future areas shown on the approved plans.

- 6. A copy of the approved plans and specifications shall be maintained on file by the Permittee.
- 7. During construction, erosion shall be kept to a minimum and any eroded areas of the system will be repaired immediately.
- 8. If the stormwater system was used as an Erosion Control device, it must be restored to design condition prior to operation as a stormwater treatment device, and prior to issuance of any certificate of occupancy for the project.
- 9. All areas must be maintained in a permanently stabilized condition. If vegetated, permanent seeding requirements must follow the guidelines established in the North Carolina Erosion and Sediment Control Planning and Design Manual unless an alternative is specified and approved by the City of Wilmington.
- 10. All applicable operation & maintenance agreements and easements pertaining to each stormwater treatment system shall be referenced on the final plat and recorded with the Register of Deeds upon final plat approval. If no plat is recorded for the site the operation and maintenance agreements and easements shall be recorded with the Register of Deeds so as to appear in the chain of title of all subsequent purchasers under generally accepted searching standards.
- 11. The stormwater management system shall be constructed in its entirety, vegetated and operational for its intended use prior to the construction of any built-upon surface unless prior approval is obtained. City Staff must be notified of any deviation prior to construction of the built-upon surface. Any deviation request shall include justification and must propose an alternative timeline or construction sequence. Notification shall not constitute approval. Any alternative timeline approved by City staff shall become an enforceable component of this permit.





Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

12. The permittee shall at all times provide the operation and maintenance necessary to assure the permitted stormwater system functions at optimum efficiency. The approved Operation and Maintenance Agreement must be followed in its entirety and maintenance must occur at the scheduled intervals including, but not limited to:

Scheduled inspections (interval noted on the agreement).

b. Sediment removal.

Mowing and revegetation of slopes and the vegetated areas.

d. Maintenance of landscape plants, including those within the landscape buffer and on the vegetated shelf.

e. Immediate repair of eroded areas, especially slopes.

f. Debris removal and unclogging of outlet structure, orifice device, flow spreader, catch basins and/or piping.

g. Access to the outlet structure must be available at all times.

- 13. Records of inspection, maintenance and repair for the permitted stormwater system must be kept by the permittee for at least 5 years from the date of record and made available upon request to authorized personnel of the City of Wilmington. The records will indicate the date, activity, name of person performing the work and what actions were taken.
- 14. Upon completion of construction, before a Certificate of Occupancy shall be granted, and prior to operation or intended use of this permitted facility, the applicant shall submit to the City of Wilmington as-built plans for all stormwater management facilities. The plans shall show the final design specifications and the field location, type, depth, invert and planted vegetation of all measures, controls and devices, as-installed. A certification shall be submitted, along with all supporting documentation that specifies, under seal that the as-built stormwater measures, controls and devices are in compliance with the approved stormwater management plans. A final inspection by City of Wilmington personnel will be required prior to issuance of a certificate of occupancy or operation of the permitted facility.
- 15. This permit is not transferable except after application and approval by the City of Wilmington. In the event of a change of ownership, name change or change of address the permittee must submit a completed Name/Ownership Change form to the City of Wilmington at least 30 days prior to the change. It shall be signed by all applicable parties, and be accompanied by all required supporting documentation. Submittal of a complete application shall not be construed as an approved application. The application will be reviewed on its own merits by the City of Wilmington and may or may not be approved. The project must be in compliance with the terms of this permit in order for the transfer request to be considered. The permittee is responsible for compliance with all permit conditions until such time as the City of Wilmington approves the transfer request. Neither the sale of the project nor the conveyance of common area to a third party should be considered as an approved transfer of the permit.
- 16. Failure to abide by the conditions and limitations contained in this permit may subject the Permittee to enforcement action by the City of Wilmington, in accordance with Sections 18-52 and 18-53 and any other applicable section of the Land Development Code.





Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

- 17. The City of Wilmington may notify the permittee when the permitted site does not meet one or more of the minimum requirements of the permit. Within the time frame specified in the notice, the permittee shall submit a written time schedule to the City of Wilmington for modifying the site to meet minimum requirements. The permittee shall provide copies of revised plans and certification in writing to the City of Wilmington that the changes have been made.
- 18. The issuance of this permit does not preclude the Permittee from complying with any and all statutes, rules, regulations, or ordinances, which may be imposed by other government agencies (local, state, and federal) having jurisdiction.
- 19. In the event that the facilities fail to perform satisfactorily, including the creation of nuisance conditions, the Permittee shall take immediate corrective action, including those as may be required by the City of Wilmington, such as the construction of additional or replacement stormwater management systems.
- 20. The permittee grants City of Wilmington Staff permission to enter the property during normal business hours for the purpose of inspecting all components of the permitted stormwater management facility.
- 21. The permit issued shall continue in force and effect until revoked or terminated by the City of Wilmington. The permit may be modified, revoked and reissued or terminated for cause. The filing of a request for a permit modification, revocation and re-issuance or termination does not stay any permit condition.
- 22. The approved stormwater management plans and all documentation submitted as part of the approved stormwater management permit application package for this project are incorporated by reference and are enforceable parts of the permit.
- 23. The permittee shall submit a renewal request with all required forms and documentation at least 180 days prior to the expiration date of this permit.
- 24. If any one or more of the conditions of this permit is found to be unenforceable or otherwise invalidated, all remaining conditions shall remain in full effect.

Stormwater Management Permit issued this the 11th day of May, 2018.

for Sterling Cheatham, City Manager

City of Wilmington





Public Services
Engineering
414 Chestnut St, Suite 200
Wilmington, NC 28401
910 341-7807
910 341-5881 fax
wilmingtonnc.gov
Dial 711 TTY/Voice

STORMWATER MANAGEMENT PERMIT APPLICATION FORM (Form SWP 2.2)

I. GENERAL INFORMATION 1. Project Name (subdivision, facility, or establishment name - should be consistent with project name on plans, specifications, letters, operation and maintenance agreements, etc.): Garris Road Mini Storage Location of Project (street address): 20 Garris Road Zip: 28403 County: New Hanover City: Wilmington 3. Directions to project (from nearest major intersection): Project site is located on the south side of Market Street approximately 0.16 miles east of College Road S overpass. II. PERMIT INFORMATION 1. Specify the type of project (check one): Low Density | High Density ☐ Drains to an Offsite Stormwater System ☐ Drainage Plan ☐ Other If the project drains to an Offsite System, list the Stormwater Permit Number(s): City of Wilmington: 2000013 State - NCDENR/DWQ: SW8 990713 2. Is the project currently covered (whole or in part) by an existing City or State (NCDENR/DWQ) Stormwater Permit? XYes No If yes, list all applicable Stormwater Permit Numbers: State - NCDENR/DWQ: SW8 990713 City of Wilmington: 3. Additional Project Permit Requirements (check all applicable): CAMA Major Sedimentation/Erosion Control NPDES Industrial Stormwater 404/401 Permit: Proposed Impacts: If any of these permits have already been acquired please provide the Project Name, Project/Permit Number, issue date and the type of each permit:



III. CONTACT INFORMATION

1.	 Print Applicant / Signing Official's name and title (specifically the developer, property owner, less designated government official, individual, etc. who owns the project): 						
	Applicant / Organization: Garris Road Storage Holdings I, LLC						
	Signing Official & Title: Charles A. Berry						
	a. Contact information for Applicant / Signing Official:						
	Street Address: 11111 Carmel Commons Blvd., Suite 207						
	City: Charlotte State: NC Zip: 28226						
	Phone: (704) 496-9617 Fax: (704) 496-9618 Email: Tony@tbcdev.com						
	Mailing Address (if different than physical address):						
	City:State:Zip:						
	b. Please check the appropriate box. The applicant listed above is:						
	The property owner (Skip to item 3) Lessee* (Attach a copy of the lease agreement and complete items 2 and 2a below) Purchaser* (Attach a copy of the pending sales agreement and complete items 2 and 2a below) Developer* (Complete items 2 and 2a below.)						
2.	Print Property Owner's name and title below, if you are the lessee, purchaser, or developer. (This is the person who owns the property that the project is on.)						
	Property Owner / Organization:						
	Signing Official & Title:						
	a. Contact information for Property Owner:						
	Street Address:						
	City:State:Zip:						
	Phone:Fax:Email:						
	Mailing Address (if different than physical address):						
	City:Zip:Zip:						
3.	(Optional) Print the name and title of another contact such as the project's construction supervisor or another person who can answer questions about the project:						
	Other Contact Person / Organization:						
	Signing Official & Title:						



	 a. Contact information for person listed in item 3 above: 					
	Street Address:					
	City:					
	Phone:Fax:					
	Mailing Address (if different than phy					
	City:					
IV	. PROJECT INFORMATION					
1	In the energy provided below, briefly com-		onto a more officially by a transfer of			
1.	In the space provided below, briefly sum	manze now the stormy	valer runoit will be treated.			
	Existing wet detention basin.					
2.	Total Property Area: 312,761 square	e feet				
3.	Total Coastal Wetlands Area: 0	square feet				
4.	Total Surface Water Area: 0	_square feet				
5.	Total Property Area (2) – Total Coastal V Project Area: 312,761 square feet.	Vetlands Area (3) – To	tal Surface Water Area (4) = Total			
6.	Existing Impervious Surface within Prope	erty Area: 0	square feet			
7.	Existing Impervious Surface to be Remo	ved/Demolished: 0	square feet			
8.	Existing Impervious Surface to Remain:	osquare	feet			
9.	Total Onsite (within property boundary)	Newly Constructed Imp	ervious Surface (in square feet):			
	[a					
	Buildings/Lots		118,483			
	Impervious Pavement Pervious Pavement (adj. total, with 100%	(and distance is all	24,684			
	Pervious Pavement (adj. total, with 100 9 Impervious Sidewalks	o credit applied)	0			
	•	6 credit applied)	0			
	Other (describe)	o credit applied)	5,965			
	Future Development		85,160			
	Total Onsite Newly Constructed Impervious	is Surface	234,292			
,	Total official field y constructed importion	ao carrace	204,232			
10.	. Total Onsite Impervious Surface (Existing Impervious Surface to remain + Onsite N	lewly Constructed Impervio	us Surface) =234,292square feet			
11	Project percent of impervious area: (Total					
		Choice impervious ourlace	1 Total 1 Tojoci Albaj X Too 70			



12. Total Offsite Newly Constructed Impervious Area (improvements made outside of property boundary, in square feet):

Impervious Pavemen			
Pervious Pavement	(adj. total, with	% credit applied)	
Impervious Sidewalks			
Pervious Sidewalks	(adj. total, with	% credit applied)	
Other (describe)			
Total Offsite Newly	0		

13. Total Newly Constructed Impervious Surface		
(Total Onsite + Offsite Newly Constructed Impervious Surface) = _	234292	square feet

14. Complete the following information for each Stormwater BMP drainage area. If there are more than three drainage areas in the project, attach an additional sheet with the information for each area provided in the same format as below. Low Density projects may omit this section and skip to Section V.

Basin Information		Wet Pond BMP # 1	BMP#	BMP#
Receiving Stream Name		Smith Creek		
Receiving Stream Index N	umber	18-74-6		
Stream Classification		C;Sw		
Total Drainage Area (sf)		312761	0	0
On-Site Drainage Area	(sf)	312761		
Off-Site Drainage Area	(sf)			
Total Impervious Area (s	f)	234292	0	0
Buildings/Lots (sf)	Buildings/Lots (sf)			
Impervious Pavement (sf)	24684		
Pervious Pavement,	% credit (sf)	0		
Impervious Sidewalks (sf)	0		
Pervious Sidewalks,	% credit (sf)	0		
Other (sf) Future Development (sf) Existing Impervious to remain (sf)		5965		
		85160		
		0		
Offsite (sf)		0		
Percent Impervious Area (%)	74.91%		

15. How was the off-site impervious area listed above determined? Provide documentation:	
N/A	



V. SUBMITTAL REQUIREMENTS

- Supplemental and Operation & Maintenance Forms One applicable City of Wilmington Stormwater BMP supplement form and checklist must be submitted for each BMP specified for this project. One applicable proposed operation and maintenance (O&M) form must be submitted for each type of stormwater BMP. Once approved, the operation and maintenance forms must be referenced on the final plat and recorded with the register of deeds office.
- 2. Deed Restrictions and Restrictive Covenants For all subdivisions, outparcels, and future development, the appropriate property restrictions and protective covenants are required to be recorded prior to the sale of any lot. Due to variability in lot sizes or the proposed BUA allocations, a table listing each lot number, lot size, and the allowable built-upon area must be provided as an attachment to the completed and notarized deed restriction form. The appropriate deed restrictions and protective covenants forms can be downloaded at the link listed in section V (3). Download the latest versions for each submittal.

In instances where the applicant is different than the property owner, it is the responsibility of the property owner to sign the deed restrictions and protective covenants form while the applicant is responsible for ensuring that the deed restrictions are recorded.

By the notarized signature(s) below, the permit holder(s) certify that the recorded property restrictions and protective covenants for this project, if required, shall include all the items required in the permit and listed on the forms available on the website, that the covenants will be binding on all parties and persons claiming under them, that they will run with the land, that the required covenants cannot be changed or deleted without concurrence from the City of Wilmington, and that they will be recorded prior to the sale of any lot.

3. Only complete application packages will be accepted and reviewed by the City. A complete package includes all of the items listed on the City Engineering Plan Review Checklist, including the fee. Copies of the Engineering Plan Review Checklist, all Forms, Deed Restrictions as well as detailed instructions on how to complete this application form may be downloaded from:

http://www.wilmingtonnc.gov/PublicServices/Engineering/PlanReview/StormwaterPermits.aspx

The complete application package should be submitted to the following address:

City of Wilmington – Engineering Plan Review Section 414 Chestnut Street, Suite 200 Wilmington, NC 28402



VI. CONSULTANT INFORMATION AND AUTHORIZATION

(suc	 Applicant: Complete this section if you wish to designate authority to another individual and/or firm (such as a consulting engineer and /or firm) so that they may provide information on your behalf for this project (such as addressing requests for additional information). 						
Con	sulting Engineer: Rob Ba	lland, PE					
Con	sulting Firm: Paramounte E	ngineering, Inc.					
	a. Contact information fo	or consultant listed abo	JVO.				
	Mailing Address: 122 Cin		SVC.				
		Sina Brive	State: N	ıc .	7in: 28403		
	Phone: 910-791-6707					.com	
	e portraducional de la companya del companya de la companya del companya de la co	- 5-000000min					
VII.	PROPERTY OWNER AU	ITHORIZATION (If Sec	tion III(2) h	as been filled	out, complete this	s section)	
own the person listed in Copropose the substormwa. As the ledesignate defaults Wilming response Change valid peviolation.	er type name of person listed in a property identified in this sted in Contact Information, item 20. A copy of the lease agmittal, which indicates the ater system. The end of the lease agreement to Stormwater Permit resibility to notify the City of Form within 30 days; other of the City of Wilmington	permit application, arm 1)	roperty s the opera d, and ag f) dissol ponsibilit property ely and su ing a sto water trea	with (promise with (promise to deversales contracted ation and management of the contracted at the con	sion to (print or to int or type name of the project of has been properties signature below company and/or iance with the the property of peted Name/ eatment facility ity without a var	ype name of of organization that as currently ovided with the w, that if my reancels or City of wner, it is my (Ownership without a alid permit is a	
eniorcei	ment including the asses	sment of civil penaities	5.				
Signature	e:			Date:			
SEAL		ľ			a Notary [Dublic for the	
) OL/\L		I, State of					
		hereby certify that					
		personally appeared b					
		and acknowledge the					
		permit. Witness my ha	and and of	fficial seal,			
	My commission expires:						



VIII. APPLICANT'S CERTIFICATION

I, (print or type name of person listed in	Contact Information, item 1) , Charles A. Berry	certify					
that the information included on this permit application form is, to the best of my knowledge, correct and							
that the project will be constructe	d in conformance with the approved plans, that the r	equired deed					
restrictions and protective covens	ants will be recorded, and that the proposed project of	complies with the					
requirements of the applicable st	permitter of the grift of the supplied of the						
requirements of the applicable of	ommator raise andor.						
Signature:		2018					
SEAL	1, <u>Jazmin V. Barrera</u> , a Nota	ary Public for the					
	State of North Carolina , County of Meckle	nburg, do					
	hereby certify that Charles A. Berry	J					
JAZMIN V. BARRERA	personally appeared before me this day of <u>Januar</u>	10th, 2018					
Notary Public, North Carolina Mecklenburg County	and acknowledge the due execution of the application for	or a stormwater					
My Commission Expires	permit. Witness my hand and official seal,						
10 28 2020	Jannin Barrera						
	My commission expires: October 28, 20	20					

<u>High Density Commercial Subdivisions</u> **Deed Restrictions & Protective Covenances**



In accordance with Title 15 NCAC 2H.1000, the Management Regulations, deed restrictions and NEER protective covenants are required for High Density Commercial Subdivisions where lots will be subdivided and sold and runoff will be treated in an engineered stormwater control facility. Deed restrictions and protective covenants are necessary to ensure that the development maintains a built-upon area consistent with the design criteria used to size the stormwater control facility.

H44.00 1011111111111111111111111111111111	aport area consistent with the design oftena asea to size the stormwater control radiity.						•	
I, <u>Ch</u> I will ca within t	ause th	s A. Ber e following de ject known as	ed restric	tions and cov	vledge, enants t Sul od	affirm and ag o be recorded VISION	ree by my	y signature below, that the sale of any lot :
1.	The fo	llowing coven gement Permit	ants are i Number	intended to er	sure on	going compli	ance with	State Stormwater ion of Water Quality
2.	The S	NCAC 2H.100 tate of North C	Carolina is	s made a bene	eficiary o	of these cove	nants to t	he extent necessary to
3.	These						ersons a	nd parties claiming
4.	under The co	ovenants perta	aining to s	stormwater ma	ay not be	e altered or re	escinded	without the express
5.	Alterat	consent of the drai	nage as	shown on the	approve	sion of water ed plan may n	Quality. ot take p	lace without the
6.	The m	rrence of the L aximum allow sed built-upon	able built area per	t Water Qualit -upon area pe lot will vary, p	ry. er lot is _ blease u	se the following	s <i>quare fe</i> ng format	eet. {OR, if the : & language (in bold):
	The m	aximum buili	t-upon a	rea per lot, in	square	feet, is as li	sted belo	ow:
	Lot#	BUA 53, 6884	Lot#	BUA 64,79554	Lot #	BUA 85,1606F.	Lot #	BUA
	and th upon a coquin	at portion of th area includes.	ne right-o but is not areas, b	f-way betweer t limited to, str	n the fro ructures.	nt lot line and asphalt, con	the edge crete, gra	ot property boundaries, e of the pavement. Built avel, brick, stone, slate, ing, or the water
7.	All run accom gradin	off from the bu plished throug g the lot to dra	uilt-upon gh a varie ain toward	ty of means in If the street, or	ncluding r grading	roof drain gu perimeter sv	itters which vales to d	d system. This may be ch drain to the street, collect the lot runoff Lots that will naturally
8.	drain in The ov separa	nto the system wner of each lo	n are not ot, whose r permit a	required to pro ownership is	ovide the not reta	ese additiona ined by the p	l measure ermittee,	es. is required to submit a nd receive a permit
	Signat	ure: <u></u>	1			Da	ate: × 04	.17.2018
	ı, <u>Jo</u>	2min V.	Barrer	a			, a No	tary Public in the
	State	of North Co	arolina			of Meck	Henbur	9
	do her	eby certify tha	The second second					onally appeared
	before	me this the _	17th	day of	Apri	1	, 20[8	, and acknowledge
	the du	e execution of	the foreg	going instrume	ent. Witn	ess my hand	and offic	
	7	amin Vzar	rera					SEAL
	Signat	wre 🕖		2 1 1				JAZMIN V. BARRERA y Public, North Carolina
	Му Со	mmission exp	ires	0 28 20	20	Language a	N	lecklenburg County Commission Expires
Form D	RPC-1	Rev.1		Page 1 of 1			or annual series	10/28/2020

Permit No	
	(to be provided by DWQ)

STORMWATER MANAGEMENT PERMIT APPLICATION FORM 401 CERTIFICATION APPLICATION FORM

WET DETENTION BASIN SUPPLEMENT

This form must be filled out, printed and submitted.

The Required Items Checklist (Part III) must be printed, filled out and submitted along with all of the required information.

I. PROJECT INFORMATION		
Project name		Garris Road Subdivision
Contact person		Charles A. Berry
Phone number	704-496-9617	
Date	4/12/2018	
Drainage area number	1	
II. DESIGN INFORMATION		
Site Characteristics	Andrew State Control of the Control	
Drainage area	312,761 ft ²	
Impervious area, post-development	234,292 ft ²	
% impervious	74.91 %	
Design rainfall depth	1.0 in	
Storage Volume: Non-SA Waters		
Minimum volume required	21,248 ft ³	OK
AND		
Volume provided	21,248 ft ³	OK, volume provided is equal to or in excess of volume required.
Storage Volume: SA Waters		
1.5" runoff volume	4 3	
Pre-development 1-yr, 24-hr runoff	ft ³	
	ft ³	
Post-development 1-yr, 24-hr runoff	ft³	
Minimum volume required	ft³	
Volume provided	ft ³	
Peak Flow Calculations		
Is the pre/post control of the 1yr 24hr storm peak flow required?	N (Y or N)	
1-yr, 24-hr rainfall depth	(1 O 11)	
Rational C, pre-development		
	(unitless)	
Rational C, post-development	(unitless)	
Rainfall intensity: 1-yr, 24-hr storm	in/hr	
Pre-development 1-yr, 24-hr peak flow	ft ³ /sec	
Post-development 1-yr, 24-hr peak flow	ft ³ /sec	
Pre/Post 1-yr, 24-hr peak flow control	ft ³ /sec	
Elevations	Periodic Annalis Property Comments	
Temporary pool elevation	34.00 fmsl	
Permanent pool elevation	33.00 fmsl	
SHWT elevation (approx. at the perm. pool elevation)	33.00 fmsl	and the second section of the section o
Top of 10ft vegetated shelf elevation	33.00 fmsl	RECEIVED
Bottom of 10ft vegetated shelf elevation	32.00 fmsl	1 Almonton
Sediment cleanout, top elevation (bottom of pond)	26.50 fmsl	APR 2 5 2018
Sediment cleanout, bottom elevation	fmsl	APR 2 3 2010
Sediment storage provided	26.50 ft	
Is there additional volume stored above the state-required temp. pool?	(Y or N)	ENGINEERING
Elevation of the top of the additional volume	fmsl	

II. DESIGN INFORMATION		
Surface Areas	2	
Area, temporary pool	20,173 ft ²	
Area REQUIRED, permanent pool SA/DA ratio	11,541 ft ² 3.69 (unitless)	
Area PROVIDED, permanent pool, A _{perm_pool}	20,173 ft ²	OK
Area, bottom of 10ft vegetated shelf, A _{bot shelf}	ft ²	OK .
Area, sediment cleanout, top elevation (bottom of pond), A _{bot pond}		
0) 44 (44) (44) (47) (47) (47) (47) (47)		
Volumes Volume, temporary pool	24 240 63	OV
Volume, permanent pool, V _{perm_pool}	21,248 ft ³ 94,930 ft ³	OK
Volume, forebay (sum of forebays if more than one forebay)	19,017 ft ³	
Forebay % of permanent pool volume	20.0% %	OK
SA/DA Table Data	20.070 70	
Design TSS removal	90 %	
Coastal SA/DA Table Used?	Y (Y or N)	
Mountain/Piedmont SA/DA Table Used?	N (Y or N)	
SA/DA ratio	3.69 (unitless)	
Average depth (used in SA/DA table):		
Calculation option 1 used? (See Figure 10-2b)	(Y or N)	
Volume, permanent pool, V _{perm_pool}	94,930 ft ³	
Area provided, permanent pool, A _{perm_pool} Average depth calculated	20,173 ft ²	Need 3 ft min.
Average depth used in SA/DA, d _{av} , (Round to nearest 0.5ft)		Need 3 it min.
Calculation option 2 used? (See Figure 10-2b)	(Y or N)	
Area provided, permanent pool, A _{perm, pool}	20,173 ft ²	
Area, bottom of 10ft vegetated shelf, A _{bot shelf}	ft ²	
Area, sediment cleanout, top elevation (bottom of pond), Abot_pond	ft ²	
	7000	
"Depth" (distance b/w bottom of 10ft shelf and top of sediment) Average depth calculated	5.50 ft 6.50 ft	OK
Average depth used in SA/DA, d _{av} , (Round to nearest 0.5ft)	6.5 ft	OK
Drawdown Calculations		
Drawdown through orifice?	Y (Y or N)	
Diameter of orifice (if circular)	2.50 in	
Area of orifice (if-non-circular)	in ²	
Coefficient of discharge (C _D)	0.60 (unitless)	
Driving head (H _o)	ft	
Drawdown through weir?	N (Y or N)	
Weir type	(unitless)	
Coefficient of discharge (C _w) Length of weir (L)	(unitless)	
Driving head (H)	ft	
Pre-development 1-yr, 24-hr peak flow	ft ³ /sec	
Post-development 1-yr, 24-hr peak flow	ft ³ /sec	
Storage volume discharge rate (through discharge orifice or weir)	0.11 ft ³ /sec	Storage volume discharge rate greater than pre-dev. 1yr24hr.
Storage volume drawdown time	2.00 days	OK, draws down in 2-5 days.
Additional Information		
Vegetated side slopes	3 :1	OK
Vegetated shelf slope	10 :1	OK
Vegetated shelf width	10.0 ft	OK RECEIVED
Length of flowpath to width ratio	:1	
Length to width ratio Trash rack for overflow & orifice?	:1 Y (Y or N)	OK APR 2 5 2018
Freeboard provided	2.4 ft	OK AT 1 2 3 2018
Vegetated filter provided?	N (Y or N)	OK ENGINEERING
Recorded drainage easement provided?	Y (Y or N)	OK ENGINEERING
Capures all runoff at ultimate build-out?	Y (Y or N)	OK
Drain mechanism for maintenance or emergencies is:	PUMP	

Perm	nit Number:
	(to be provided by City of Wilmington)
BMP	Drainage Basin #:

Wet Detention Basin Operation and Maintenance Agreement

I will keep a maintenance record on this BMP. This maintenance record will be kept in a log in a known set location. Any deficient BMP elements noted in the inspection will be corrected, repaired or replaced immediately. These deficiencies can affect the integrity of structures, safety of the public, and the removal efficiency of the BMP.

The wet detention basin system is defined as the wet detention basin, pretreatment including forebays and the vegetated filter if one is provided.

This system (<i>check one</i>): \square does \square does not	incorporate a vegetated filter at the outlet.
This system (<i>check one</i>): \square does \square does not	incorporate pretreatment other than a forebay.

Important maintenance procedures:

- Immediately after the wet detention basin is established, the plants on the vegetated shelf and perimeter of the basin should be watered twice weekly if needed, until the plants become established (commonly six weeks).
- No portion of the wet detention pond should be fertilized after the first initial fertilization that is required to establish the plants on the vegetated shelf.
- Stable groundcover should be maintained in the drainage area to reduce the sediment load to the wet detention basin.
- If the basin must be drained for an emergency or to perform maintenance, the flushing of sediment through the emergency drain should be minimized to the maximum extent practical.
- Once a year, a dam safety expert should inspect the embankment.

After the wet detention pond is established, it should be inspected **once a month and within 24 hours after every storm event greater than 1.5 inches**. Records of operation and maintenance should be kept in a known set location and must be available upon request. Inspection activities shall be performed as follows. Any problems that are found shall be repaired immediately.

BMP element:	Potential problem:	How I will remediate the problem:
The entire BMP	Trash/debris is present.	Remove the trash/debris.
The side slopes of the wet detention basin	Areas of bare soil and/or erosive gullies have formed.	Regrade the soil if necessary to remove the gully, and then plant a ground cover and water until it is established. Provide lime and a one-time fertilizer application.
	Vegetation is too short or too	Maintain vegetation at a height of
	long.	approximately six inches.

BMP element:	Potential problem:	How I will remediate the problem:
The inlet device: pipe or	The pipe is clogged.	Unclog the pipe. Dispose of the
swale		sediment off-site.
	The pipe is cracked or	Replace the pipe.
	otherwise damaged.	
	Erosion is occurring in the	Regrade the swale if necessary to
	swale.	smooth it over and provide erosion
	ĺ	control devices such as reinforced
		turf matting or riprap to avoid
		future problems with erosion.
The forebay	Sediment has accumulated to	Search for the source of the
	a depth greater than the	sediment and remedy the problem if
	original design depth for	possible. Remove the sediment and
	sediment storage.	dispose of it in a location where it
		will not cause impacts to streams or
		the BMP.
	Erosion has occurred.	Provide additional erosion
		protection such as reinforced turf
		matting or riprap if needed to
		prevent future erosion problems.
	Weeds are present.	Remove the weeds, preferably by
		hand. If pesticide is used, wipe it on
		the plants rather than spraying.
The vegetated shelf	Best professional practices	Prune according to best professional
	show that pruning is needed	practices
	to maintain optimal plant	
	health.	
	The plant community and	Restore plant vegetation to
	coverage is significantly	approved condition. If landscape
	(>25%) different from	plan needs to be adjusted to specify
	approved landscape plan.	vegetation more appropriate for site
		conditions, contact City Stormwater
	Cattailananthaninanin	or Engineering Staff.
	Cattails or other invasive	Remove all invasives by physical
	plants cover >25% of the veg't	removal or by wiping them with
	shelf. A monculture of plants	pesticide (do not spray) – consult a
	must be avoided)	professional.
	Plants are dead, diseased or	Determine the source of the
	dying.	problem: soils, hydrology, disease,
		etc. Remedy the problem and
		replace plants. Provide a one-time
	i	fertilizer application to establish the
		ground cover if a soil test indicates
The main treatment area	Sediment has accumulated to	it is necessary. Search for the source of the
The main treatment area	a depth greater than the	
	original design sediment	sediment and remedy the problem if
	storage depth.	possible. Remove the sediment and
	swrage deput.	dispose of it in a location where it
		will not cause impacts to streams or the BMP.
		the part.

BMP element:	Potential problem:	How I will remediate the problem:
The main treatment area	Algal growth covers over	Consult a professional to remove
(continued)	25% of the area.	and control the algal growth.
	Cattails or other invasive	Remove all invasives by physical
	plants cover >25% of the veg't	removal or by wiping them with
	shelf. A monculture of plants	pesticide (do not spray) - consult a
	must be avoided)	professional.
The embankment	Shrubs have started to grow	Remove shrubs immediately.
	on the embankment.	
	Evidence of muskrat or	Use traps to remove muskrats and
	beaver activity is present.	consult a professional to remove
		beavers.
	A tree has started to grow on	Consult a dam safety specialist to
	the embankment.	remove the tree.
	An annual inspection by an	Make all needed repairs.
	appropriate professional	
	shows that the embankment	
	needs repair. (if applicable)	
The outlet device	Clogging has occurred.	Clean out the outlet device. Dispose
		of the sediment off-site.
	The outlet device is damaged	Repair or replace the outlet device.
The receiving water	Erosion or other signs of	Contact the local NC Division of
	damage have occurred at the	Water Quality Regional Office, or
	outlet.	the 401 Oversight Unit at 919-733-
		1786.


The measuring device used to determine the sediment elevation shall be such that it will give an accurate depth reading and not readily penetrate into accumulated sediments.

When the permanent pool depth reads <u>4.875</u> feet in the main pond, the sediment shall be removed.

When the permanent pool depth reads <u>2.25</u> feet in the forebay, the sediment shall be removed.

BASIN DIAGRAM

(fill in the blanks)



Permit Numb	er:
(to be p	rovided by City of Wilmington)

I acknowledge and agree by my signature below that I am responsible for the performance of the maintenance procedures listed above. I agree to notify the City of Wilmington of any problems with the system or prior to any changes to the system or responsible party.

Project name: GARRIS ROAD SUBDIVISION
BMP drainage basin number:1
Print name: Garris Road Storage Holdings I, LLC - Charles A. Berry
Title:Manager
Address: 11111 Carmel Commons Blvd., Suite 207, Charlotte, NC 28226
Phone: 704-496-9617
Signature:
Date: 04.17.2018
Note: The legally responsible party should not be a homeowners association unless more than 50% of the lots have been sold and a resident of the subdivision has been named the president.
I, Jazmin V. Barrera, a Notary Public for the State of
North Carolina, County of Mecklenburg, do hereby certify that
CHARLES A. BERRY personally appeared before me this 17 th
day of April , 2018, and acknowledge the due execution of the
forgoing wet detention basin maintenance requirements. Witness my hand and official
seal,
JAZMIN V. BARRERA Notary Public, North Carolina Mecklenburg County My Commission Expires 10 28 2020
SEAL Jayun Zurrera

My commission expires_

10 28 2020