



Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

### COMPREHENSIVE STORMWATER MANAGEMENT PERMIT

### HIGH DENSITY DEVELOPMENT

### SECTION 1 – APPROVAL

Having reviewed the application and all supporting materials, the City of Wilmington has determined that the application is complete and the proposed development meets the requirements of the City of Wilmington's Comprehensive Stormwater Ordinance.

PERMIT HOLDER: City Block Apartments II, LLC

PROJECT:

City Block Apartments II

ADDRESS:

310 Bladen Street

PERMIT #:

2020004

DATE:

February 4, 2020

Therefore, the above referenced site is hereby approved and subject to all conditions set forth in Section 2 of this approval and all applicable provisions of the City of Wilmington Comprehensive Stormwater Management Ordinance.

This permit shall be effective from the date of issuance until February 4, 2030 and shall be subject to the following specified conditions and limitations:

### Section 2 - CONDITIONS

- 1. This approval is valid only for the stormwater management system as proposed on the approved stormwater management plans dated February 3, 2020.
- 2. The project will be limited to the amount and type of built-upon area indicated in Section IV of the Stormwater Management Application Form submitted as part of the approved stormwater permit application package, and per the approved plans.
- 3. This permit shall become void unless the facilities are constructed in accordance with the approved stormwater management plans, specifications and supporting documentation, including information provided in the application and supplements.
- 4. The runoff from all built-upon area within any permitted drainage area must be directed into the permitted stormwater control system for that drainage area.
- 5. The permittee shall submit a revised stormwater management application packet to the City of Wilmington and shall have received approval prior to construction, for any modification to the approved plans, including, but not limited to, those listed below:
  - a. Any revision to any item shown on the approved plans, including the stormwater management measures, built-upon area, details, etc.
  - b. Redesign or addition to the approved amount of built-upon area or to the drainage area.
  - c. Further subdivision, acquisition, lease or sale of any part of the project area.
  - d. Filling in, altering, or piping of any vegetative conveyance shown on the approved plan.
  - e. Construction of any permitted future areas shown on the approved plans.





Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

- 6. A copy of the approved plans and specifications shall be maintained on file by the Permittee.
- 7. During construction, erosion shall be kept to a minimum and any eroded areas of the system will be repaired immediately.
- 8. If the stormwater system was used as an Erosion Control device, it must be restored to design condition prior to operation as a stormwater treatment device, and prior to issuance of any certificate of occupancy for the project.
- 9. All areas must be maintained in a permanently stabilized condition. If vegetated, permanent seeding requirements must follow the guidelines established in the North Carolina Erosion and Sediment Control Planning and Design Manual unless an alternative is specified and approved by the City of Wilmington.
- 10. All applicable operation & maintenance agreements and easements pertaining to each stormwater treatment system shall be referenced on the final plat and recorded with the Register of Deeds upon final plat approval. If no plat is recorded for the site the operation and maintenance agreements and easements shall be recorded with the Register of Deeds so as to appear in the chain of title of all subsequent purchasers under generally accepted searching standards.
- 11. The stormwater management system shall be constructed in its entirety, vegetated and operational for its intended use prior to the construction of any built-upon surface unless prior approval is obtained. City Staff must be notified of any deviation prior to construction of the built-upon surface. Any deviation request shall include justification and must propose an alternative timeline or construction sequence. Notification shall not constitute approval. Any alternative timeline approved by City staff shall become an enforceable component of this permit.
- 12. The permittee shall at all times provide the operation and maintenance necessary to assure the permitted stormwater system functions at optimum efficiency. The approved Operation and Maintenance Agreement must be followed in its entirety and maintenance must occur at the scheduled intervals including, but not limited to:
  - a. Scheduled inspections (interval noted on the agreement).
  - b. Sediment removal.
  - c. Mowing and revegetation of slopes and the vegetated areas.
  - d. Maintenance of landscape plants, including those within the landscape buffer and on the vegetated shelf.
  - e. Immediate repair of eroded areas, especially slopes.
  - f. Debris removal and unclogging of outlet structure, orifice device, flow spreader, catch basins and/or piping.
  - g. Access to the outlet structure must be available at all times.
- 13. Records of inspection, maintenance and repair for the permitted stormwater system must be kept by the permittee for at least 5 years from the date of record and made available upon request to authorized personnel of the City of Wilmington. The records will indicate the date, activity, name of person performing the work and what actions were taken.





Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

- 14. Upon completion of construction, before a Certificate of Occupancy shall be granted, and prior to operation or intended use of this permitted facility, the applicant shall submit to the City of Wilmington as-built plans for all stormwater management facilities. The plans shall show the final design specifications and the field location, type, depth, invert and planted vegetation of all measures, controls and devices, as installed. A certification shall be submitted, along with all supporting documentation that specifies, under seal that the as-built stormwater measures, controls and devices are in compliance with the approved stormwater management plans. A final inspection by City of Wilmington personnel will be required prior to issuance of a certificate of occupancy or operation of the permitted facility.
- 15. This permit is not transferable except after application and approval by the City of Wilmington. In the event of a change of ownership, name change or change of address the permittee must submit a completed Name/Ownership Change form to the City of Wilmington at least 30 days prior to the change. It shall be signed by all applicable parties and be accompanied by all required supporting documentation. Submittal of a complete application shall not be construed as an approved application. The application will be reviewed on its own merits by the City of Wilmington and may or may not be approved. The project must be in compliance with the terms of this permit in order for the transfer request to be considered. The permittee is responsible for compliance with all permit conditions until such time as the City of Wilmington approves the transfer request. Neither the sale of the project nor the conveyance of common area to a third party should be considered as an approved transfer of the permit.
- 16. Failure to abide by the conditions and limitations contained in this permit may subject the Permittee to enforcement action by the City of Wilmington, in accordance with Sections 18-52 and 18-53 and any other applicable section of the Land Development Code.
- 17. The City of Wilmington may notify the permittee when the permitted site does not meet one or more of the minimum requirements of the permit. Within the time frame specified in the notice, the permittee shall submit a written time schedule to the City of Wilmington for modifying the site to meet minimum requirements. The permittee shall provide copies of revised plans and certification in writing to the City of Wilmington that the changes have been made.
- 18. The issuance of this permit does not preclude the Permittee from complying with any and all statutes, rules, regulations, or ordinances, which may be imposed by other government agencies (local, state, and federal) having jurisdiction.
- 19. In the event that the facilities fail to perform satisfactorily, including the creation of nuisance conditions, the Permittee shall take immediate corrective action, including those as may be required by the City of Wilmington, such as the construction of additional or replacement stormwater management systems.
- 20. The permittee grants City of Wilmington Staff permission to enter the property during normal business hours for the purpose of inspecting all components of the permitted stormwater management facility.





Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

- 21. The permit issued shall continue in force and effect until revoked or terminated by the City of Wilmington. The permit may be modified, revoked and reissued or terminated for cause. The filing of a request for a permit modification, revocation and re-issuance or termination does not stay any permit condition.
- 22. The approved stormwater management plans and all documentation submitted as part of the approved stormwater management permit application package for this project are incorporated by reference and are enforceable parts of the permit.
- 23. The permittee shall submit a renewal request with all required forms and documentation at least 180 days prior to the expiration date of this permit.
- 24. If any one or more of the conditions of this permit is found to be unenforceable or otherwise invalidated, all remaining conditions shall remain in full effect.

Stormwater Management Permit issued this the 4th day of February, 2020.

for Sterling Cheatham, City Manager

City of Wilmington



CAMA Major X Sedimentation/Erosion Control

Number, issue date and the type of each permit:





Public Services
Engineering
212 Operations Center Dr
Wilmington, NC 28412
910 341-7807
910 341-5881 fax
wilmingtonnc.gov
Dial 711 TTY/Voice

# STORMWATER MANAGEMENT PERMIT APPLICATION FORM (Form SWP 2.2)

# I. GENERAL INFORMATION 1. Project Name (subdivision, facility, or establishment name - should be consistent with project name on plans, specifications, letters, operation and maintenance agreements, etc.): City Block II Apartments 2. Location of Project (street address): 310 Bladen Street County: New Hanover Zip: 28401 City: Wilmington 3. Directions to project (from nearest major intersection): Traveling west along Hwy. 17 Business (Market Street), turn right onto 3rd St. N and travel 0.5 miles and make right on Bladen St. Site is located on the right. $\hbox{\bf II. PERMITINFORMATION}$ 1. Specify the type of project (check one): Low Density X High Density If the project drains to an Offsite System, list the Stormwater Permit Number(s): City of Wilmington: State - NCDENR/DWQ: \_\_\_\_\_ 2. Is the project currently covered (whole or in part) by an existing City or State (NCDENR/DWQ) Stormwater Permit? Yes X No If yes, list all applicable Stormwater Permit Numbers: City of Wilmington: \_\_\_\_\_ State – NCDENR/DWQ: 3. Additional Project Permit Requirements (check all applicable):

NPDES Industrial Stormwater 404/401 Permit: Proposed Impacts: N/A

If any of these permits have already been acquired please provide the Project Name, Project/Permit



# III. CONTACT INFORMATION

1.	Print Applicant / Signing Official's name and title (specifically the developer, property owner, lessee, designated government official, individual, etc. who owns the project):
	Applicant / Organization: City Block Apartments, LLC
	Signing Official & Title: H. Thomas Davis, III - Manager
	a. Contact information for Applicant / Signing Official:
	Street Address: 814 N. 3rd Street
	City: Wilmington State: NC Zip: 28401
	Phone: 910-762-1111 Fax: 910-332-3795 Email: htthomas.davis@ccim.net
	Mailing Address (if different than physical address):
	City:State:Zip:
	b. Please check the appropriate box. The applicant listed above is:
	The property owner (Skip to item 3) Lessee* (Attach a copy of the lease agreement and complete items 2 and 2a below) Purchaser* (Attach a copy of the pending sales agreement and complete items 2 and 2a below)  X Developer* (Complete items 2 and 2a below.)
2.	Print Property Owner's name and title below, if you are the lessee, purchaser, or developer. (This is the person who owns the property that the project is on.)
	Property Owner / Organization: WRE Holdings, LLC
	Signing Official & Title: H. Thomas Davis, III - Manager
	a. Contact information for Property Owner:
	Street Address: _817 N. 4th Street
	City: Wilmington State: NC Zip: 28401
	Phone: 910-762-1111
	Mailing Address (if different than physical address):
	City:State:Zip:
3.	(Optional) Print the name and title of another contact such as the project's construction supervisor or another person who can answer questions about the project:
	Other Contact Person / Organization:
	Signing Official & Title:



City:		State	·	Zip:	••
Phone:	Fax:	Emai	l:		
Mailing Add	ress (if different than	physical address):			
•					
/. PROJECT INF					
. In the space pro	ovided below, briefly s	ummarize how the s	tormwater	runoff will be tre	eated.
All runoff f	rom the proposed o	development will	be convey	ed to an und	erground
infiltration	trench to meet wa	ter quality requ	irements	for the lyr-:	24hr storm
. Total Property	Area: <u>35,232</u> sq	uare feet			
. Total Coastal V	Vetlands Area:0	square feet			
	Vater Area:0				
	Area (2) – Total Coast		) – Total Sเ	rface Water Ar	ea (4) = Tota
. Existing Imperv	ious Surface within P	roperty Area: _9,430	squai	e feet	
. Existing Imperv	rious Surface to be Re	emoved/Demolished:	9,430	_square feet	
. Existing Imperv	rious Surface to Rema	nin: 0s	quare feet		
_	ithin property bounda			us Surface ( <i>in s</i>	square feet):
Buildings/Lots			13,434		
Impervious Pave	ment		16,505		
Pervious Pavem	ent (adj. total, with	% credit applied)			
Impervious Side	walks		1,115		
Pervious Sidewa	lks (adj. total, with	% credit applied)			
			_		
Other (describe)			1 2000		
Future Developm	nent wly Constructed Impe		1,000 32,054		

11. Project percent of impervious area: (Total Onsite Impervious Surface / Total Project Area) x100 = 91.0 %



12. Total Offsite Newly Constructed Impervious Area (improvements made outside of property boundary, in square feet):

Impervious Pavement		
Pervious Pavement (adj.	total, with % cred	dit applied)
Impervious Sidewalks		2,813
Pervious Sidewalks (adj.	total, with % cred	dit applied)
Other (describe)		
Total Offsite Newly Constr	ucted Impervious Su	rface

13. Total Newly Constructed Impervious Surface		
(Total Onsite + Offsite Newly Constructed Impervious Surface) =	34,867	square feet

14. Complete the following information for each Stormwater BMP drainage area. If there are more than three drainage areas in the project, attach an additional sheet with the information for each area provided in the same format as below. Low Density projects may omit this section and skip to Section V.

Basin Information	BMP# 1	BMP#	BMP#
Receiving Stream Name	N.E. Cape Fear	River	
Receiving Stream Index Number	[18-74-(61)]		
Stream Classification	SC/SW		
Total Drainage Area (sf)	33,541		
On-Site Drainage Area (sf)	33,541		
Off-Site Drainage Area (sf)			
Total Impervious Area (sf)	32,654 (22,615)	12/2/19 RAC	
Buildings/Lots (sf)	13,434	Last Co.	
Impervious Pavement (sf)	16,505		
Pervious Pavement (sf)			
Impervious Sidewalks (sf)	1,115		
Pervious Sidewalks (sf)			
Other (sf) (Ex. to be removed)	(9,439)		
Future Development (sf)	1,000		
Existing Impervious to remain (sf)			
Offsite (sf)			
Percent Impervious Area (%)	67.4		

15. How was the off-site im	pervious area listed above	determined? Provide	documentation
-----------------------------	----------------------------	---------------------	---------------

NT	17					
N	/A					



#### V. SUBMITTAL REQUIREMENTS

- 1. Supplemental and Operation & Maintenance Forms One applicable City of Wilmington Stormwater BMP supplement form and checklist must be submitted for each BMP specified for this project. One applicable proposed operation and maintenance (O&M) form must be submitted for each type of stormwater BMP. Once approved, the operation and maintenance forms must be referenced on the final plat and recorded with the register of deeds office.
- 2. Deed Restrictions and Restrictive Covenants For all subdivisions, outparcels, and future development, the appropriate property restrictions and protective covenants are required to be recorded prior to the sale of any lot. Due to variability in lot sizes or the proposed BUA allocations, a table listing each lot number, lot size, and the allowable built-upon area must be provided as an attachment to the completed and notarized deed restriction form. The appropriate deed restrictions and protective covenants forms can be downloaded at the link listed in section V (3). Download the latest versions for each submittal.

In instances where the applicant is different than the property owner, it is the responsibility of the property owner to sign the deed restrictions and protective covenants form while the applicant is responsible for ensuring that the deed restrictions are recorded.

By the notarized signature(s) below, the permit holder(s) certify that the recorded property restrictions and protective covenants for this project, if required, shall include all the items required in the permit and listed on the forms available on the website, that the covenants will be binding on all parties and persons claiming under them, that they will run with the land, that the required covenants cannot be changed or deleted without concurrence from the City of Wilmington, and that they will be recorded prior to the sale of any lot.

3. Only complete application packages will be accepted and reviewed by the City. A complete package includes all of the items listed on the City Engineering Plan Review Checklist, including the fee. Copies of the Engineering Plan Review Checklist, all Forms, Deed Restrictions as well as detailed instructions on how to complete this application form may be downloaded from:

http://www.wilmingtonnc.gov/PublicServices/Engineering/PlanReview/StormwaterPermits.aspx

The complete application package should be submitted to the following address:

City of Wilmington – Engineering Plan Review Section 212 Operations Center Dr Wilmington, NC 28412



# VI. CONSULTANT INFORMATION AND AUTHORIZATION

1	Applicant: Complete this sect	tion if you wish to designate authority to another individual and/or firm
•	(such as a consulting engine	er and /or firm) so that they may provide information on your behalf for ing requests for additional information).
	Consulting Engineer: Rober	t P. Balland, PE
	Consulting Firm: Paramount	te Engineering, Inc.
	a Contact information for	or consultant listed above:
	Mailing Address: 122 C	
	City: Wilmington	State: <u>NC</u> Zip: <u>_28403</u>
	Phone: 910-791-6707	_Fax: 910-791-6760 Email: rballand@paramounte-eng.com
١	VII. PROPERTY OWNER AL	JTHORIZATION (If Section III(2) has been filled out, complete this section)
t s Account	own the property identified in this person listed in Contact Information, item isted in Contact Information, item 1) Ciproposed. A copy of the lease againe submittal, which indicates the stormwater system.  As the legal property owner I acknowledge agent (entity listed in Contact Information) defaults on their lease agreement will will be considered the Contact Information Stormwater Permit representations of the Contact Information (Change Form within 30 days; otherwalls) dependit. I understand that the	Contact Information, item 2) H. Thomas Davis, III , certify that I spermit application, and thus give permission to (print or type name of m 1) H. Thomas Davis, III with (print or type name of organization type) Block Apartments, LLC to develop the project as currently greement or pending property sales contract has been provided with a party responsible for the operation and maintenance of the converge understand, and agree by my signature below, that if my contact Information, item 1) dissolves their company and/or cancels or not, or pending sale, responsibility for compliance with the City of everts back to me, the property owner. As the property owner, it is my will will be operating a stormwater treatment facility without a valid permit is a not municipal Code of Ordinances and may result in appropriate
	SEAL  NOTARY  PUBLIC  PUBLIC  NOTARY  PUBLIC  PUBLIC  NOTARY  PUBLIC  PUBLIC  NOTARY  PUBLIC  PUBLIC	enforcement including the assessment of civil penalties.  Signature:  Date: 40 109 2019



and acknowledge the due execution  Wordy Doluce  My commission expires: 02-25	
VIII. APPLICANT'S CERTIFIC	ATION
that the information included on that the project will be constructed restrictions and protective coverage.	Contact Information, item 1), H. Thomas Davis, III certify his permit application form is, to the best of my knowledge, correct and d in conformance with the approved plans, that the required deed ants will be recorded, and that the proposed project complies with the requirements of the applicable stormwater rules under.
SEAL SEAL CHARITY BOLLCARILITY	Signature:
NOTARY PUBLIC ON THE PUBLIC ON	I, <u>Charity Bolick</u> , a Notary Public for the State of <u>North Carolina</u> , County of <u>New Hanover</u> , do hereby certify that <u>H. Thomas Davis</u> , <u>III</u> personally appeared before me this day of <u>October 4th</u> , <u>2019</u> ,
permit. Witness my hand and official	and acknowledge the due execution of the application for a stormwater I seal,

### SUPPLEMENT-EZ COVER PAGE

FORMS LOADED

1	Project Name	City Block II Apartments
2	Project Area (ac)	0.81
3	Coastal Wetland Area (ac)	0
4	Surface Water Area (ac)	Ö
5	Is this project High or Low Density?	High
6	Does this project use an off-site SCM?	No

COM	PLIANCE WITH 02H .1003(4)	
7	Width of vegetated setbacks provided (feet)	0
8	Will the vegetated setback remain vegetated?	
9	Is BUA other that as listed in .1003(4)(c-d) out of the setback?	
10	Is streambank stabilization proposed on this project?	

11	Infiltration System	1
12	Bioretention Cell	0
13	Wet Pond	0
14	Stormwater Wetland	
15	Permeable Pavement	· . 0
16	Sand Filter	0
17	Rainwater Harvesting (RWH)	0
8	Green Roof	0
9	Level Spreader-Filter Strip (LS-FS)	0
20	Disconnected Impervious Surface (DIS)	0
1	Treatment Swale	0
22	Dry Pond	0
23	StormFilter	0
4	Silva Cell	0
25	Bayfilter	0
26	Filterra	0

#### **FORMS LOADED**

27 Name and Title:		Robert P. Balland, PE
28	Organization:	Paramounte Engineering, Inc.
29	Street address:	122 Cinema Drive
30	City, State, Zip:	Wilmington, NC 28403
31	Phone number(s):	910-791-6707
32	Email:	rballand@paramounte-eng.com

Certification Statement:
I certify, under penalty of law that this Supplement-EZ form and all supporting information were prepared under my direction or supervision; that the information provided in the form is, to the best of my knowledge and belief, true, accurate, and complete; and that the engineering plans, specifications, operation and maintenance agreements and other supporting information are consistent with the information provided here.

<u>Designer</u>

SEAL 031591

Signature of Designer

12-20-19 Date

# **DRAINAGE AREAS**

1	Is this a high density project?	Yes
2	If so, number of drainage areas/SCMs	1
	Is all/part of this project subject to previous rule	
3	versions?	No

FORMS LOADED

DRA	INAGE AREA INFORMATION	Entire Site	participation of
4	Type of SCM	Infiltration Trench	
5	Total BUA in project (sq ft)	22615 sf	ROLL COLOR DESPERADO
	New BUA on subdivided lots (subject to permitting)		
6	(sq ft)		
	New BUA outside of subdivided lots (subject to		
7	permitting) (sf)	14,000,000,000,000,000	Mark Williams
8	Offsite - total area (sq ft)		The Guerranian
9	Offsite BUA (sq ft)		
10	Breakdown of new BUA outside subdivided lots:		
	- Parking (sq ft)	16505 sf	20 为基本的共为12000000000000000000000000000000000000
	- Sidewalk (sq ft)	1115 sf	
	- Roof (sq ft)	13434 sf	
	- Roadway (sq ft)	Alternative State	
	- Future (sq ft)	1000 sf	
	- Other, please specify in the comment box		
	below (sq ft)		
11	New infiltrating permeable pavement on subdivided lots (sq ft)	nge Weign Constantion	
	New infiltrating permeable pavement outside of	CELLAR STATE OF A SERVI	
12	subdivided lots (sq ft)		
	Exisitng BUA that will remain (not subject to		
13	permitting) (sq ft)		
14	Existing BUA that is already permitted (sq ft)		
15	Existing BUA that will be removed (sq ft)	9439 sf	
16	Percent BUA	67%	
17	Design storm (inches)		
18	Design volume of SCM (cu ft)	4188 cf	
19	Calculation method for design volume	Rational	原写的 计多层设置

ADDITIONAL INFORMATION

| Please use this space to provide any additional information about the drainage area(s):

DRA	INAGE AREA INFORMATION	Entire Site		
4	Type of SCM	N/A		
5	Total BUA from project (sq ft)	enwitten ins		
6	1995 rules			
	SL 2006-246			
	2008 rules	r percent de la companya de la comp		
	2017 rules			
	New BUA on subdivided lots (subject to			
7	permitting) (sq ft)			
	1995 rules			
	SL 2006-246	Consistent Marcus traineds		
	2008 rules			
	2017 rules			
	New BUA outside of subdivided lots (subject to			
8	permitting) (sf)			
ter morting	1995 rules			
	SL 2006-246			
	2008 rules	A SECTION OF THE		
	2017 rules			
9	Offsite - total area (sq ft)	电影点 法法律		
	1995 rules			
	SL 2006-246		A SECTION OF SECTION	
	2008 rules			
	2017 rules			
10	Offsite BUA (sq ft)			

*********	1995 rules SL 2006-246		
	2008 rules		
	2017 rules	144	
11	Design storm (inches)		
	1995 rules	100000000000000000000000000000000000000	t confidence
	SL 2006-246	LINESPAN TO A TRANS	
	2008 rules	0.9483.0 p. Nr. 0.460 R008	
	2006 rules 2017 rules		
12	Breakdown of new BUA:	7	
12			
	- Parking (sq ft)	1500 S. 100 S	
	- Sidewalk (sq ft)		
	- Roof (sq ft)		
	- Roadway (sq ft)		
	- Future (sq ft)		11/14 ASS 19 11 5 11
	- Other, please specify in the comment box		
	below (sq ft)		
	New infiltrating permeable pavement on		
13	subdivided lots (sq ft)	The second second	
	New infiltrating permeable pavement outside of		
14	subdivided lots (sq ft)		, 200
4.5	Exisiting BUA that will remain (not subject to		
15	permitting) (sq ft)		Astronomic Control
16	Existing BUA that is already permitted (sq ft)	EAST TO PERSON TO PROPERTY OF	
17	Existing BUA that will be removed (sq ft)		
18	Percent BUA	1,000,000,000,000,000,000,000	
19 20	Design volume of SCM (cu ft)  Calculation method for design volume		
CONTRACTOR DE			The second secon
ADD	ITIONAL INFORMATION		to.
	Please use this space to provide any additional		
21	information about the drainage area(s):		

### **INFILTRATION SYSTEM**

2	Drainage area number Design volume of SCM (cu ft)	4188 cf
The Review of the last	THE RESIDENCE OF THE PROPERTY	4100 CI
1 11 11 11 11 11	AL MDC FROM 02H :1050	
3	Is the SCM sized to treat the SW from all surfaces at build-out?	Yes
4	Is the SCM located away from contaminated soils?	Yes
5	What are the side slopes of the SCM (H:V)?	17.001
6	Does the SCM have retaining walls, gabion walls or other engineered side slopes?	No
7	Are the inlets, outlets, and receiving stream protected from erosion (10-year storm)?	Yes
8	Is there an overflow or bypass for inflow volume in excess of the design volume?	Yes
9	What is the method for dewatering the SCM for maintenance?	Pump (preferred
10	If applicable, will the SCM be cleaned out after construction?	Yes
11	Does the maintenance access comply with General MDC (8)?	Yes
12	Does the drainage easement comply with General MDC (9)?	Yes
13	If the SCM is on a single family lot, does (will?) the plat comply with General MDC (10)?	
14	is there an O&M Agreement that complies with General MDC (11)?	Yes
15	Is there an O&M Plan that complies with General MDC (12)?	Yes
16	Does the SCM follow the device specific MDC?	Yes
17	Was the SCM designed by an NC licensed professional?	Yes
	ATION SYSTEM MDC FROM 02H .1051	PRINCE CONTRACT
18	Proposed slope of the subgrade surface (%)	0%
19	Are terraces or baffles provided?	No
20	Type of pretreatment:	Other
		Other
Solls Da		5 ft and 2012 (2015)
0.4	Was the soil investigated in the footprint and at the elevation of the infiltration	V
21	system?	Yes
22	SHWT elevation (fmsl)	44.30
23	Depth to SHWT per soils report (in)	72.00
24	Ground elevation at boring in soils report (fmsl)	50.30
25	Is a detailed hydrogeologic study attached if the separation is between 1 and 2 feet?	No
26	Soil infiltration rate (in/hr)	22.00
27	Factor of safety (FS) (2 is recommended):	2.00
Elevat		2.00
29	Bottom elevation (fmsl)	47 ft
30	Storage elevation (fmsl)	49.5 ft
31	Bypass elevation (fmsl)	50 ft
	nsins Only	
	Bottom surface area, ft <sup>2</sup> :	
32		
33	Storage elevation surface area (ft²)	A P. 1 - 5 15 7 - 1 / 1 / 1 / 1
	enches Only	
34	Length (ft)	66 ft
35	Width (ft)	39 ft
36	Perforated pipe diameter, if applicable (inches)	24 in
37	Number of laterals	2012
38	Total length of perforated piping	734 ft
39	Stone type, if applicable	#57
40	Stone void ratio (%)	40%
41	Is stone free of fines?	Yes
42	Is the stone wrapped in geotextile fabric?	Yes
43	Has at least one infiltration port been provided?	Yes
	nes/Drawdown	STATE STATE
44	Design volume of SCM (cu ft)	4188 cf
45	Time to drawdown (hours)	1 hrs
ADDIT	TONAL INFORMATION	
WATER COLUMN	Please use this space to provide any additional information about the infiltration	
46		1
46	system(s):	

Project Name: Ci	ity Block Apartmen	ts II	
Project Location: 31	I0 Bladen Street		
	Cover Pa		ant in a log in a known act logatio
Maintenance records shall be kept on the Any deficient BMP elements noted in the i			
affect the integrity of structures, safety of			
allect the integrity of structures, salety of	the public, and the political	tremoval emoleticy of the E	(6).
The BMP(s) on this project include (check	all that apply & correspond	ting O&M tables will be add	ed automatically):
Bioretention Cell	Quantity:	Location(s):	ed datematically).
Dry Detention Basin	Quantity:	Location(s):	
Grassed Swale	Quantity:	Location(s):	
Green Roof	Quantity:	Location(s):	
Infiltration Basin	Quantity:	Location(s):	
Infiltration Trench	Quantity: 1	Location(s): on-site	
Level Spreader/VFS	Quantity:	Location(s):	
Permeable Pavement	Quantity:	Location(s):	
Proprietary System	Quantity:	Location(s):	
Rainwater Harvesting	Quantity:	Location(s):	
Sand Filter	Quantity:	Location(s):	
Stormwater Wetland	Quantity:	Location(s):	
Wet Detention Basin	Quantity: 0	Location(s):	
Disconnected Impervious Area	Present: No	Location(s):	
User Defined BMP	Present: No	Location(s):	
	CLICK TO I	IPDATE O&M MANUAL	
* Responsible Party: H.	Thomas Davis, III Manager, City Block Apart	ments. LLC	
	814 N. 3rd Street	inents, LLC	
VIO.0014 AND EDITOR OF THE PROPERTY OF THE PRO	ilmington, NC 28401		
Phone number(s): 91	0-762-1111		
	homas.davis@ccim.net		
Linaii. Itti	Tomas.davis@com.net		
	12		2/12/1
Signature: 1			Date: 12/17/20
Penny S. Millis	a Nota	ry Public for the State of	North Carolina
Tenny S. Millis			*
County of <u>Fender</u>			omas Davis, III
personally appeared before me this	gay of	December, 21	01 <i>9</i> and
acknowledge the due execution of the $ ot\!\!/$ p	e ations and Maintenance	Agreement .	
Witness my hand and official seal,	enex/ me	llis	
Municipal S Marine	() /		
The Thomas of County	•		
4 O. W	17 - 7	,	DEC 1 0 2010
NOTARY PUBLIC EXP	ouration 10/19/	22	DEP I & SOLA
PUBLIC W	7 7	and the second s	
Julian O I			EMCHIEEDING
17			
EA COUNTY			
RM-FZ			12/13/

O&M Manual

Version 1.4

Page 1 of 2

Operation & Maintenance Agreement

### Infiltration System Maintenance Requirements

Important maintenance procedures:

- The drainage area will be carefully managed to reduce The sediment load to The infiltration basin.
- Immediately after the infiltration basin is established, the vegetation will be watered twice weekly if needed untile the plants become established (commonly six weeks).
- No portion of the infiltration basin will be fertilized after the initial fertilization that is required to establish the vegetation.
- The vegetation in and around the basin will be maintained at a height of approximately six inches.

After the infiltration basin is established, it shall be inspected **once a quarter and within 24 hours after every storm event greater than 1.0 inches (or 1.5 inches if in a Coastal County).** Records of operation and maintenance shall be kept in a known set location and shall be available upon request.

Inspection activities shall be performed as follows. Any problems that are found shall be repaired immediately.

BMP element:	Potential problem:	How to remediate the problem:
The entire BMP	Trash/debris is present.	Remove the trash/debris.
The perimeter of the infiltration basin	Areas of bare soil and/or erosive gullies have formed.	Regrade the soil if necessary to remove the gully, and then plant a ground cover and water until it is established. Provide lime and a one-time fertilizer application.
The inlet device: pipe or swale	The pipe is clogged (if applicable).	Unclog the pipe. Dispose of the sediment off-site.
	The pipe is cracked or otherwise damaged (if applicable).	Replace the pipe.
	Erosion is occurring in the swale (if applicable).	Regrade the swale if necessary to smooth it over and provide erosion control devices such as reinforced turf matting or riprap to avoid future problems with erosion.
The forebay	Sediment has accumulated and reduced the depth to 75% of the original design depth.	Search for the source of the sediment and remedy the problem if possible. Remove the sediment and dispose of it in a location where it will not cause impacts to streams or the BMP.
	Erosion has occurred or riprap is displaced.	Provide additional erosion protection such as reinforced turf matting or riprap if needed to prevent future erosion problems.
	Weeds are present.	Remove the weeds, preferably by hand. If pesticides are used, wipe them on the plants rather than spraying.
The main treatment area	A visible layer of sediment has accumulated.	Search for the source of the sediment and remedy the problem if possible. Remove the sediment and dispose of it in a location where it will not cause impacts to streams or the BMP. Replace any media that was removed in the process. Revegetate disturbed areas immediately.
	Water is standing more than 5 days after a storm event.	Replace the top few inches of filter media and see if this corrects the standing water problem. If so, revegetate immediately. If not, consult an appropriate professional for a more extensive repair.
	Weeds and noxious plants are growing in the main treatment area.	Remove the plants by hand or by wiping them with pesticide (do not spray).
The embankment	Shrubs or trees have started to grow on the embankment.	Remove shrubs or trees immediately.
	An annual inspection by an appropriate professional shows that the embankment needs repair.	Make all needed repairs.
The outlet device	Clogging has occurred.	Clean out the outlet device. Dispose of the sediment off-site.
	The outlet device is damaged	Repair or replace the outlet device.
Sion 1.4	C	1 <del>2/2/201</del> 0&M Manual Page 3 of

The receiving water	Erosion or other signs of	Contact the local NC Department of Environment and Natural
_	damage have occurred at the	Resources Regional Office.
	outlet.	_

# SUPPLEMENT-EZ COVER PAGE

LOAD SUPPLEMENT FORMS

L	Project Name	City Block Apartments II
2	Project Area (ac)	0.81
3	Coastal Wetland Area (ac)	0
4	Surface Water Area (ac)	0
5	Is this project High or Low Density?	High
6	Does this project use an off-site SCM?	No

COM	COMPLIANCE WITH 02H .1003(4)		
7	Width of vegetated setbacks provided (feet)	0	
8	Will the vegetated setback remain vegetated?		
9	Is BUA other that as listed in .1003(4)(c-d) out of the setback?		
10	Is streambank stabilization proposed on this project?		


11 Infiltration	n System	
12 Bioretent	ion Cell	
13 Wet Pon	d	0
14 Stormwa	ter Wetland	0
15 Permeab	le Pavement	0
16 Sand Filt	er	0 0 1 1 1 1 1 1 1 1
17 Rainwate	r Harvesting (RWH)	0
18 Green Ro	oof	0
19 Level Sp	reader-Filter Strip (LS-FS)	0
20 Disconne	cted Impervious Surface (DIS)	0
21 Treatmer	nt Swale	0
22 Dry Pond		
23 StormFilt	er	
24 Silva Cel		
25 Bayfilter		0
26 Filterra		0

### LOAD SUPPLEMENT FORMS

27	Name and Title:	Robert P. Balland, PE
28	Organization:	Paramounte Engineering, Inc.
29	Street address:	122 Cinema Drive
30	City, State, Zip:	Wilmington, NC 28403
31	Phone number(s):	910-791-6707
32	Email:	rballand@paramounte-eng.com

### Certification Statement:

I certify, under penalty of law that this Supplement-EZ form and all supporting information were prepared under my direction or supervision; that the information provided in the form is, to the best of my knowledge and belief, true, accurate, and complete; and that the engineering plans, specifications, operation and maintenance agreements and other supporting information are consistent with the information provided here.



Signature of Designer

12-12-19 Date DEC 1 8 2019

DEC 1 8 2019

# **DRAINAGE AREAS**

1	Is this a high density project?	Yes
2	If so, number of drainage areas/SCMs	1
	Is all/part of this project subject to previous rule	
3	versions?	No

FORMS LOADED

DRAII	NAGE AREA INFORMATION	Entire Site	1
4	Type of SCM	Infiltration Trench	
5	Total BUA in project (sq ft)	22615 sf	
	New BUA on subdivided lots (subject to permitting)		
6	(sq ft)		
	New BUA outside of subdivided lots (subject to		
7	permitting) (sf)		
8	Offsite - total area (sq ft)	sf	
9	Offsite BUA (sq ft)	sf	
10	Breakdown of new BUA outside subdivided lots:		
	- Parking (sq ft)	16505 sf	
	- Sidewalk (sq ft)	1115 sf	
	- Roof (sq ft)	13434 sf	
	- Roadway (sq ft)		
	- Future (sq ft)	1000 sf	
	- Other, please specify in the comment box		
	below (sq ft)	I	
	New infiltrating permeable pavement on		
11	subdivided lots (sq ft)	sf .	
	New infiltrating permeable pavement outside of		
12	subdivided lots (sq ft)	sf	
	Exisiting BUA that will remain (not subject to		
13	permitting) (sq ft)	sf	
14	Existing BUA that is already permitted (sq ft)		
15	Existing BUA that will be removed (sq ft)	9439 sf	
16	Percent BUA	67%	
17	Design storm (inches)		
18	Design volume of SCM (cu ft)	4188 cf	
19	Calculation method for design volume	Rational	

ADDITIONAL INFORMATION

Please use this space to provide any additional information about the drainage area(s):