

NEW HANOVER COUNTY

Engineering Department/Water and Sewer District
230 Government Center Drive • Suite 160
Wilmington, North Carolina 28403
TELEPHONE (910)-798-7139
Fax (910) 798-7051

Beth E. Wetherill, C.P.E.S.C.
Soil Erosion Specialist

November 15, 2016

Echo Farm Apartments, LLC
10 Cardinal Drive,
Wilmington, North Carolina 28403

RE: Grading Permit # 38-15 Revision #3, Arbor Trace Apartments previously Echo Farms Apartments

Dear Mr. Matthew Maynard

Enclosed is the original and a copy of your revised grading permit. Please read the permit conditions carefully and return the signed blue original to our office and keep the copy for your record

A preconstruction meeting will not be required for this activity.

The land disturbing fee of **\$40** for the addition of 0.1 acres is due to be paid to New Hanover County Engineering to my attention prior to issuance of any Certificate of Occupancy as the acreage has been changed by the engineer to 9.96 acres to include the new sidewalk adjacent to Echo Farms Boulevard.


Thank you for your cooperation. If you have any further questions, please feel free to contact our office.

Sincerely,

Beth Easley Wetherill

Beth Easley Wetherill
Soil Erosion Specialist
New Hanover County

cc: Jeff Malpass PE, Malpass Engineering
Brian Chambers, City of Wilmington Planning



Permit for a Land Disturbing Activity

New Hanover County
 Department of Engineering
 230 Government Center Drive - Suite 160
 Wilmington, North Carolina 28403
 (910) 798-7139

As authorized by the New Hanover County Erosion and Sedimentation Control Ordinance

This permit issued to Echo Farm Apartments, LLC authorizes the development of 9.96 acres of land at 4010 Carolina Beach Road for Arbor Trace Apartments previously known as Echo Farms Apartments in New Hanover County. This permit issued on October 6, 2015 is subject to compliance with the application and site drawings, all applicable regulations and special conditions and notes set forth below. Any plan modifications must be approved by this office prior to field changes.

It is understood by the applicant that a representative of New Hanover County's Engineering Department may inspect the site at any time following the issuance of this Permit. A copy of the approved Soil Erosion Control Plan, this permit, a rain gauge and copies of all the Combined Self-Monitoring and Self Inspection Reports must be available at all times at the site.

Failure to execute the provisions of this permit and the approved Soil Erosion Plan, or any other provisions of the New Hanover County Soil Erosion and Sedimentation Control Ordinance, shall result in immediate legal action by the County to the limits prescribed by the Ordinance. If the measures outlined on the approved Soil Erosion Control Plan and this Permit prove insufficient, additional Erosion Control measures can and will be required which in turn will be considered provisions of this Permit. This Permit does not preclude any other permits or approvals necessary for beginning or completing this development. Approval of an erosion control plan is conditioned on the applicant's compliance with Federal and State laws, regulations and rules. It is the Permittee's responsibility to obtain all necessary permits and approvals.

SPECIAL CONDITIONS

(THESE CONDITIONS MUST BE FOLLOWED IN ADDITION TO THE PLANS AND SPECIFICATIONS)

*All the soil erosion control measures will be installed as the site is cleared and maintained throughout construction. The original permit for 1.14 acres for DEMO only at Echo Farms Apartments was issued 10/6/15 and included 3 construction entrances, silt fence and minimum 25 foot buffers. This permit is for demolition only. Additional plans must be approved and permitted prior to any other work taking place onsite.

**Revision #1 approved 11/24/15 includes 9.93 acres for Echo Farms Apartments with 4 construction entrances, silt fences, inlet and outlet protection, 6 swales of which Swales 1 & 2 will be sloped 3:1 and all work and installation of excelsior mat must be completed on all disturbed area associated with these swales prior to any rain event, Swales 3 & 4 will be sloped 3:1 and swale 4 will be immediately lined with excelsior mat, Swale 5 will be sloped 7:1 and Swale 6 will be sloped 3:1 with a 1.5 foot bottom, immediate construction and stabilization of Wet Pond #1, its slopes and the outlet structure with a 2.5 inch Faircloth Skimmer and a 1.8 inch orifice and installation of the Infiltration Basin after the upstream area has been stabilized per the construction sequence.

NOTE: All work and disturbed area in the R/W and on City of Wilmington property will be completed and will be lined with excelsior mat prior to any rain event and additional sit fence will be required on City of Wilmington Property, above driveway pipes and on the south side of the site adjacent to Carolina Beach Road.

**Revision #2 approved 1/26/16 changes the acreage of Echo Farms Apartments from 9.93 acres to 9.86 acres, requires Swale #1 to be 2:1 and be immediately lined with fabric and rip rap prior to any rain, adds a 3:1 sloped Swale #7 with a 1.5-foot bottom that must be lined prior to any rain event, adds sidewalk and a 15 inch RCP with an energy dissipater adjacent to Carolina Beach Road.

**Revision #3 approved 11/15/16 changes the name from Echo Farms Apartments to Arbor Trace Apartments, removes 0.23 acres of disturbance along Carolina Beach Road and adds 0.33 acres along Echo Farms Boulevard for a total of 9.96 acres for the addition of sidewalks and swales #7 & #8 with silt fence and immediate lining of both swales prior to any rain event.

*Tree Removal Permits must be acquired from the City of Wilmington and/or New Hanover County prior to issuance of this permit and clearing the site.

*Silt fence stakes must be metal and will be placed **six feet apart without wire reinforcement or eight feet apart with wire reinforcement**. Silt fence is **not** allowed as inlet protection.

*This permit does not preclude any permits or approvals which may be necessary such as City of Wilmington or New Hanover County Stormwater, NCDENR Water Quality, C.A.M.A., and the US Army Corps. of Engineers, DEM Solid Waste or any other agencies.

*No sediment shall leave the site.

*If plan revisions are necessary you must submit a copy to this office for approval prior to any field changes.

*If soil is removed from the site, it must be taken to an approved or permitted site to be identified to this office prior to removal from the site.

*All City and/or County and State drainage and stormwater requirements will be adhered to.

*If these measures fail to adequately control erosion, more restrictive measures will be required.

*If any phase of grading ceases for more than 15 working days, the site will be temporarily stabilized.

*All slopes must be stabilized within 21 calendar days of any phase of activity.

The approval of an erosion control plan is conditioned on the applicant's compliance with Federal and State Water Quality laws, regulations and rules.

***Note the required rates for seed, lime, fertilizer and mulch in your seeding specifications.**

***Note the NPDES information from the State for sites disturbing 1 acre or more and the reporting requirements.** All **NEW** projects permitted after August 3, 2011 **must include** the following surface water withdrawal locations and stabilization requirement designations on the plan in order to qualify for coverage under the most recent NPDES Construction General Permit. All settling basins must have outlet structures that withdraw water from the surface, with the exception of basins or traps that have a drainage area of less than 1 acre. The NPDES permit requires ground cover within 14 calendar days on disturbed flat areas and ground cover within 7 calendar days on all areas within HQW Zones, perimeter dikes, swales, ditches, perimeter slopes and all slopes steeper than 3:1. Exceptions include slopes that are 10 feet or less in length and not steeper than 2:1 which must be stabilized within 14 calendar days and slopes greater than 50 feet which must be stabilized within 7 calendar days. This permit also includes other new requirements which are listed in the text of the NPDES Stormwater Discharge Permit for Construction Activities. Inspections of all erosion control measures and reports are required every 7 days and within 24 hours of every 1/2-inch rain event in a 24 hour period.

***Note the Land Resources Self Inspection Program Requirements.** This program is separate from the NPDES reporting and requires inspection and documentation after each phase of construction. These phases include: Installation of perimeter erosion control measures, Clearing and Grubbing of existing ground cover, Completion of any phase of grading of slopes or fills, Installation of storm drainage facilities, Completion of construction or development, Establishment of permanent ground cover sufficient to restrain erosion and any Deviation from the approved plan.

Enclosed is a Combined Self-Monitoring and Self-Inspection Form that meets the requirements of both the NPDES Stormwater Permit for Construction Activities, NCG 010000 reporting and the Land Resources Self Inspection Program that satisfies the requirements of the Sedimentation Pollution Control Act. This report is the responsibility of the property owner. It requires a rain gauge onsite and inspections and reporting every 7 calendar days and within 24 hours of every 1/2 inch rain per 24-hour period and at specific phases of construction. Additional copies of this Combined Construction Inspection Report can be found at <http://portal.ncdenr.org/web/lr/erosion> . Reports must be available onsite at all times. If you have questions please contact New Hanover County Engineering (910) 798-7139 or the Land Quality Section at the NCDENR Regional office at (910) 796-7215.

*A pre-construction meeting is required prior to any activity on site. Please contact Beth E. Wetherill at (910) 798-7139 to set up this meeting.

This Permit will expire one year from date of issue if no construction activity begins on site. This permit may not be amended or transferred to another party without approval of this office.

Acknowledgment of receipt of Permit

Owner

By (please print)

Beth Easley Wetherill

Beth E. Wetherill, C.P.E.S.C.
Soil Erosion Specialist/New Hanover County

Signature