



Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

COMPREHENSIVE STORMWATER MANAGEMENT PERMIT

HIGH DENSITY DEVELOPMENT

SECTION 1 – APPROVAL

Having reviewed the application and all supporting materials, the City of Wilmington has determined that the application is complete and the proposed development meets the requirements of the City of Wilmington's Comprehensive Stormwater Ordinance.

PERMIT HOLDER: Michael and Amanda Baker

PROJECT:

Baker Residence - Lot 1 Block 27 Landfall

ADDRESS:

2001 Deer Island Lane

PERMIT #:

2014031

DATE:

11/14/2014

Therefore, the above referenced site is hereby approved and subject to all conditions set forth in Section 2 of this approval and all applicable provisions of the City of Wilmington Comprehensive Stormwater Management Ordinance.

This permit shall be effective from the date of issuance until rescinded and shall be subject to the following specified conditions and limitations:

Section 2 - CONDITIONS

- 1. This approval is valid only for the stormwater management system as proposed on the approved stormwater management plans dated November 14, 2014.
- The project will be limited to the amount and type of built-upon area indicated in 2. Section IV of the Stormwater Management Application Form submitted as part of the approved stormwater permit application package, and per the approved plans.
- This permit shall become void unless the facilities are constructed in accordance 3. with the approved stormwater management plans, specifications and supporting documentation, including information provided in the application and supplements.
- The runoff from all built-upon area within any permitted drainage area must be 4. directed into the permitted stormwater control system for that drainage area.
- The permittee shall submit a revised stormwater management application packet to 5. the City of Wilmington and shall have received approval prior to construction, for any modification to the approved plans, including, but not limited to, those listed below:
 - a. Any revision to any item shown on the approved plans, including the stormwater management measures, built-upon area, details, etc.
 - b. Redesign or addition to the approved amount of built-upon area or to the drainage area.
 - c. Further subdivision, acquisition, lease or sale of any part of the project area.
 - d. Filling in, altering, or piping of any vegetative conveyance shown on the approved plan.
 - e. Construction of any permitted future areas shown on the approved plans.





Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

- 6. A copy of the approved plans and specifications shall be maintained on file by the Permittee.
- 7. During construction, erosion shall be kept to a minimum and any eroded areas of the system will be repaired immediately.
- 8. If the stormwater system was used as an Erosion Control device, it must be restored to design condition prior to operation as a stormwater treatment device, and prior to issuance of any certificate of occupancy for the project.
- 9. All areas must be maintained in a permanently stabilized condition. If vegetated, permanent seeding requirements must follow the guidelines established in the North Carolina Erosion and Sediment Control Planning and Design Manual unless an alternative is specified and approved by the City of Wilmington.
- 10. Prior to issuance of a certificate of occupancy, all applicable deed restrictions, operation & maintenance agreements and easements pertaining to each stormwater treatment system shall be recorded with the Register of Deeds so as to appear in the chain of title of all subsequent purchasers under generally accepted searching standards.
- 11. The stormwater management system shall be constructed in its entirety, vegetated and operational for its intended use prior to the construction of any built-upon surface unless prior approval is obtained. City Staff must be notified of any deviation prior to construction of the built-upon surface. Any deviation request shall include justification and must propose an alternative timeline or construction sequence. Notification shall not constitute approval. Any alternative timeline approved by City staff shall become an enforceable component of this permit.
- 12. The permittee shall at all times provide the operation and maintenance necessary to assure the permitted stormwater system functions at optimum efficiency. The approved Operation and Maintenance Agreement must be followed in its entirety and maintenance must occur at the scheduled intervals including, but not limited to:

Scheduled inspections (interval noted on the agreement).

Sediment removal.

Mowing and revegetation of slopes and the vegetated areas.

d. Maintenance of landscape plants, including those within the landscape buffer and on the vegetated shelf.

e. Immediate repair of eroded areas, especially slopes.

f. Debris removal and unclogging of outlet structure, orifice device, flow spreader, catch basins and/or piping.

g. Access to the outlet structure must be available at all times.

13. Records of inspection, maintenance and repair for the permitted stormwater system must be kept by the permittee for at least 5 years from the date of record and made available upon request to authorized personnel of the City of Wilmington. The records will indicate the date, activity, name of person performing the work and what actions were taken.





Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

- 14. Upon completion of construction, before a Certificate of Occupancy shall be granted, and prior to operation or intended use of this permitted facility, the applicant shall submit to the City of Wilmington as-built plans for all stormwater management facilities. The plans shall show the final design specifications and the field location, type, depth, invert and planted vegetation of all measures, controls and devices, as-installed. A certification shall be submitted, along with all supporting documentation that specifies, under seal that the as-built stormwater measures, controls and devices are in compliance with the approved stormwater management plans. A final inspection by City of Wilmington Engineering personnel will be required prior to issuance of a certificate of occupancy or operation of the permitted facility.
- 15. This permit is not transferable except after application and approval by the City of Wilmington. In the event of a change of ownership, name change or change of address the permittee must submit a completed Name/Ownership Change form to the City of Wilmington at least 30 days prior to the change. It shall be signed by all applicable parties, and be accompanied by all required supporting documentation. Submittal of a complete application shall not be construed as an approved application. The application will be reviewed on its own merits by the City of Wilmington and may or may not be approved. The project must be in compliance with the terms of this permit in order for the transfer request to be considered. The permittee is responsible for compliance with all permit conditions until such time as the City of Wilmington approves the transfer request. Neither the sale of the project nor the conveyance of common area to a third party should be considered as an approved transfer of the permit.
- 16. Failure to abide by the conditions and limitations contained in this permit may subject the Permittee to enforcement action by the City of Wilmington, in accordance with Sections 18-52 and 18-53 and any other applicable section of the Land Development Code.
- 17. The City of Wilmington may notify the permittee when the permitted site does not meet one or more of the minimum requirements of the permit. Within the time frame specified in the notice, the permittee shall submit a written time schedule to the City of Wilmington for modifying the site to meet minimum requirements. The permittee shall provide copies of revised plans and certification in writing to the City of Wilmington that the changes have been made.
- 18. The issuance of this permit does not preclude the Permittee from complying with any and all statutes, rules, regulations, or ordinances, which may be imposed by other government agencies (local, state, and federal) having jurisdiction.
- 19. In the event that the facilities fail to perform satisfactorily, including the creation of nuisance conditions, the Permittee shall take immediate corrective action, including those as may be required by the City of Wilmington, such as the construction of additional or replacement stormwater management systems.
- 20. The permittee grants City of Wilmington Staff permission to enter the property during normal business hours for the purpose of inspecting all components of the permitted stormwater management facility.






Engineering 212 Operations Center Drive Wilmington, NC 28412 910 341-7807 910 341-5881 fax wilmingtonnc.gov Dial 711 TTY/Voice

- 21. The permit issued shall continue in force and effect until revoked or terminated by the City of Wilmington. The permit may be modified, revoked and reissued or terminated for cause. The filing of a request for a permit modification, revocation and re-issuance or termination does not stay any permit condition.
- 22. The approved stormwater management plans and all documentation submitted as part of the approved stormwater management permit application package for this project are incorporated by reference and are enforceable parts of the permit.
- 23. The permittee shall submit a renewal request with all required forms and documentation at least 180 days prior to the expiration date of this permit.
- 24. If any one or more of the conditions of this permit is found to be unenforceable or otherwise invalidated, all remaining conditions shall remain in full effect.

Stormwater Management Permit issued this the 14th day of November, 2014

for Sterling Cheatham, City Manager

City of Wilmington



I. GENERAL INFORMATION



Public Services
Engineering
414 Chestnut St, Suite 200
Wilmington, NC 28401
910 341-7807
910 341-5881 fax
wilmingtonnc.gov
Dial 711 TTY/Voice

STORMWATER MANAGEMENT PERMIT APPLICATION FORM (Form SWP 2.2)

(Form SWP 2.2)


1.	Project Name (subdivision, facility, or establishment name - should be consistent with project name on plans, specifications, letters, operation and maintenance agreements, etc.):
	Lt 1 Block 27 Landfall Sub.
2.	Location of Project (street address): 2001 Deer Island Lane
	City: Wilmington County: New Hanover Zip: 28405
3.	Directions to project (from nearest major intersection):
	Intersection US 17 Military Cutt off. Travel South On Military Cutt off 0.6 Miles to
	Arboretum Dr. Turn Right on ARboretum. Site is located at Intersection of Arboretum and Deer Island
II.	PERMIT INFORMATION
1.	Specify the type of project (check one): Low Density High Density Drains to an Offsite Stormwater System Drainage Plan Other If the project drains to an Offsite System, list the Stormwater Permit Number(s):
	City of Wilmington: State – NCDENR/DWQ:
2.	Is the project currently covered (whole or in part) by an existing City or State (NCDENR/DWQ) Stormwater Permit? Yes No If yes, list all applicable Stormwater Permit Numbers:
	City of Wilmington: State – NCDENR/DWQ:
3.	Additional Project Permit Requirements (check all applicable): CAMA Major Sedimentation/Erosion Control NPDES Industrial Stormwater 404/401 Permit: Proposed Impacts: If any of these permits have already been acquired please provide the Project Name, Project/Permit Number, issue date and the type of each permit:



III. CONTACT INFORMATION

1.	Print Applicant / Signing Official's name and title (specifically the developer, property owner, lessee, designated government official, individual, etc. who owns the project):			
	Applicant / Organization: Michael & Amanda Baker			
	Signing Official & Title: Owner			
	a. Contact information for Applicant / Signing Official:			
	Street Address: 274 Shannon Drive			
	City: Wilmington State: NC Zip: 28409			
	Phone: 910-409-3222 Fax:Email: mike.baker3222@gmail.com			
	Mailing Address (if different than physical address):			
	City:State:Zip:			
	b. Please check the appropriate box. The applicant listed above is:			
	The property owner (Skip to item 3) Lessee* (Attach a copy of the lease agreement and complete items 2 and 2a below) Purchaser* (Attach a copy of the pending sales agreement and complete items 2 and 2a below) Developer* (Complete items 2 and 2a below.)			
2.	Print Property Owner's name and title below, if you are the lessee, purchaser, or developer. (This is the person who owns the property that the project is on.)			
	Property Owner / Organization: See Closve			
	Signing Official & Title:			
	a. Contact information for Property Owner:			
	Street Address:			
	City:State:Zip:			
	Phone:Fax:Email:			
	Mailing Address (if different than physical address):			
	City:State:Zip:			
3.	(Optional) Print the name and title of another contact such as the project's construction supervisor or another person who can answer questions about the project:			
	Other Contact Person / Organization: Plantation Building Corp			
	Signing Official & Title: David Spetrino, President			






 a. Contact information for person listed in item 3 about 	
Street Address:	ENGINEERING
City:State	Zip:
Phone:Fax:Emai	:
Mailing Address (if different than physical address):	
City:State	
. PROJECT INFORMATION	
In the space provided below, briefly summarize how the s	tormwater runoff will be treated.
all impervious within property boundary will conve	eyed to a stormwater wetlands
designed to treat the 1.5" storm event.	
doorgined to trout the 1.0 storm event.	
Total Property Area: 80,318 square feet	
Total Property Area: 80,318 square feet Total Coastal Wetlands Area: 0 square feet Total Surface Water Area: 0 square feet	
Total Coastal Wetlands Area: 0 square feet	– Total Surface Water Area (4) = Total
Total Coastal Wetlands Area: 0 square feet Total Surface Water Area: 0 square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0 square feet.	
Total Coastal Wetlands Area: 0 square feet Total Surface Water Area: 0 square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0 square feet. Existing Impervious Surface within Property Area: 0	square feet
Total Coastal Wetlands Area: 0 square feet Total Surface Water Area: 0 square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0 square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished:	square feet osquare feet
Total Coastal Wetlands Area: 0square feet Total Surface Water Area: 0square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished: Existing Impervious Surface to Remain: 0so	square feet osquare feet uare feet
Total Coastal Wetlands Area: 0square feet Total Surface Water Area: 0square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished: Existing Impervious Surface to Remain: 0so	square feet osquare feet uare feet
Total Coastal Wetlands Area: 0square feet Total Surface Water Area: 0square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished: Existing Impervious Surface to Remain: 0square feet.	square feet osquare feet uare feet d Impervious Surface (in square feet):
Total Coastal Wetlands Area: 0square feet Total Surface Water Area: 0square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished: Existing Impervious Surface to Remain: 0square feet. Existing Impervious Surface to Remain: 0square feet.	square feet square feet uare feet d Impervious Surface (in square feet): 9,602
Total Coastal Wetlands Area: 0square feet Total Surface Water Area: 0square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished: Existing Impervious Surface to Remain: 0so Total Onsite (within property boundary) Newly Constructe Buildings/Lots Impervious Pavement	square feet square feet uare feet d Impervious Surface (in square feet): square feet
Total Coastal Wetlands Area: 0square feet Total Surface Water Area: 0square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished: Existing Impervious Surface to Remain: 0so Total Onsite (within property boundary) Newly Constructe Buildings/Lots Impervious Pavement Pervious Pavement (adj. total, with % credit applied)	square feet square feet uare feet d Impervious Surface (in square feet): 9,6023,214
Total Coastal Wetlands Area: 0square feet Total Surface Water Area: 0square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished: Existing Impervious Surface to Remain: 0so Total Onsite (within property boundary) Newly Constructe Buildings/Lots Impervious Pavement Pervious Pavement (adj. total, with % credit applied) Impervious Sidewalks	square feet square feet uare feet d Impervious Surface (in square feet): 9,6023,214
Total Coastal Wetlands Area: 0square feet Total Surface Water Area: 0square feet Total Property Area (2) – Total Coastal Wetlands Area (3) Project Area: 0square feet. Existing Impervious Surface within Property Area: 0 Existing Impervious Surface to be Removed/Demolished: Existing Impervious Surface to Remain: 0so Total Onsite (within property boundary) Newly Constructe Buildings/Lots Impervious Pavement Pervious Pavement (adj. total, with % credit applied) Impervious Sidewalks Pervious Sidewalks (adj. total, with % credit applied)	square feet square feet uare feet d Impervious Surface (in square feet): 9,6023,214



square feet):



12. Total Offsite Newly Constructed Imperviol Salve Timprovenents made outside of property boundary, in

Impervious Pavement	302
Pervious Pavement (adj. total, with % cre	edit applied)
Impervious Sidewalks	0
Pervious Sidewalks (adj. total, with % cre	edit applied)
Other (describe)	
Total Offsite Newly Constructed Impervious S	Surface 302

13. Total Newly Constructed Impervious Surface	
(Total Onsite + Offsite Newly Constructed Impervious Surface) = 16756	_square feet

14. Complete the following information for each Stormwater BMP drainage area. If there are more than three drainage areas in the project, attach an additional sheet with the information for each area provided in the same format as below. Low Density projects may omit this section and skip to Section V.

Basin Information	wetlands BMP # 1	BMP#	(Type of BMP) BMP #
Receiving Stream Name	Howe Creek		
Receiving Stream Index Number	18-87-23		
Stream Classification	SA;ORW		
Total Drainage Area (sf)	46593	0	0
On-Site Drainage Area (sf)	46593		
Off-Site Drainage Area (sf)	0		
Total Impervious Area (sf)	16454	0	0
Buildings/Lots (sf)	9602		
Impervious Pavement (sf)	3214		
Pervious Pavement, % credit (sf)			
Impervious Sidewalks (sf)	1638		
Pervious Sidewalks, % credit (sf)			
Other (sf)			
Future Development (sf)	2000		
Existing Impervious to remain (sf)			
Offsite (sf)	0		
Percent Impervious Area (%)	0		

15. How was the	e off-site impervious	area listed above of	determined? Provi	de documentation	:
	· · · · · · · · · · · · · · · · · · ·	-			



V. SUBMITTAL REQUIREMENTS

- Supplemental and Operation & Maintenance Forms One applicable City of Wilmington Stormwater BMP supplement form and checklist must be submitted for each BMP specified for this project. One applicable proposed operation and maintenance (O&M) form must be submitted for each type of stormwater BMP. Once approved, the operation and maintenance forms must be referenced on the final plat and recorded with the register of deeds office.
- 2. Deed Restrictions and Restrictive Covenants For all subdivisions, outparcels, and future development, the appropriate property restrictions and protective covenants are required to be recorded prior to the sale of any lot. Due to variability in lot sizes or the proposed BUA allocations, a table listing each lot number, lot size, and the allowable built-upon area must be provided as an attachment to the completed and notarized deed restriction form. The appropriate deed restrictions and protective covenants forms can be downloaded at the link listed in section V (3). Download the latest versions for each submittal.

In instances where the applicant is different than the property owner, it is the responsibility of the property owner to sign the deed restrictions and protective covenants form while the applicant is responsible for ensuring that the deed restrictions are recorded.

By the notarized signature(s) below, the permit holder(s) certify that the recorded property restrictions and protective covenants for this project, if required, shall include all the items required in the permit and listed on the forms available on the website, that the covenants will be binding on all parties and persons claiming under them, that they will run with the land, that the required covenants cannot be changed or deleted without concurrence from the City of Wilmington, and that they will be recorded prior to the sale of any lot.

3. Only complete application packages will be accepted and reviewed by the City. A complete package includes all of the items listed on the City Engineering Plan Review Checklist, including the fee. Copies of the Engineering Plan Review Checklist, all Forms, Deed Restrictions as well as detailed instructions on how to complete this application form may be downloaded from:

http://www.wilmingtonnc.gov/PublicServices/Engineering/PlanReview/StormwaterPermits.aspx

The complete application package should be submitted to the following address:

City of Wilmington – Engineering Plan Review Section 414 Chestnut Street, Suite 200 Wilmington, NC 28402



VI. CONSULTANT INFORMATION AND AUTHORIZATION

1.	 Applicant: Complete this section if you wish to designate authority to another individual and/or firm (such as a consulting engineer and /or firm) so that they may provide information on your behalf for this project (such as addressing requests for additional information). 				
	Consulting Engineer: Howard Resnik, PE				
	Consulting Firm: Coastal Site Design, PC				
	a. Contact information for consultant listed above:				
	Mailing Address: PO BOX 4041				
	City: Wilmington State: NC Zip: 28406				
	Phone: 910-791-4441 Fax: 910-791-1501 Email: howard@coastalsitedesign.com				
VI	PROPERTY OWNER AUTHORIZATION (If Section III(2) has been filled out, complete this section)				
per liste pro the sto As de: Wi res Ch val	In the property identified in this permit application, and thus give permission to (print or type name of son listed in Contact Information, Item 1) Howard Resnik, PE with (print or type name of organization and in Contact Information, Item 1) Coastal Site Design, PC with (print or type name of organization to develop the project as currently posed. A copy of the lease agreement or pending property sales contract has been provided with a submittal, which indicates the party responsible for the operation and maintenance of the print of the property owner I acknowledge, understand, and agree by my signature below, that if my signated agent (entity listed in Contact Information, Item 1) dissolves their company and/or cancels or faults on their lease agreement, or pending sale, responsibility for compliance with the City of Imington Stormwater Permit reverts back to me, the property owner. As the property owner, it is my ponsibility to notify the City of Wilmington immediately and submit a completed Name/Ownership ange Form within 30 days; otherwise I will be operating a stormwater treatment facility without a lation of the City of Wilmington Municipal Code of Ordinances and may result in appropriate forcement including the assessment of civil penalties.				
Sig	nature:				
é	EAL				
2	I, Pohocca E Benson, a Notary Public for the State of North Carolina. County of New Handred, do hereby certify that Michael Baker personally appeared before me this day of 37th August. 2014. PUBLIC PUBLIC PUBLIC My commission expires: 10-16-16 My commission expires: 10-16-16				



VIII. APPLICANT'S CERTIFICATION

i, (print or type name of person listed in	ortact Information, item 1) , Michael Baker certify
that the information included on that the project will be constructed	is permit application form is, to the best of my knowledge, correct an in conformance with the approved plans, that the required deed nts will be recorded, and that the proposed project complies with the
Signature:	Date: 8 27 /14
SEATHINING A E BENSON IN THE PUBLIC A P	I, Rebecca & Benson, a Notary Public for the State of North Carolina, County of New Harovar, do hereby certify that Michael Baker personally appeared before me this day of 27th August, 2014 and acknowledge the due execution of the application for a stormwater permit. Witness my hand and efficial seal, My commission expires: 10.16.1

Permit Number:		
(to	be provided by City of Wilmington)	
BMP Drainage	Basin #:	

Stormwater Wetland Operation and Maintenance Agreement

I will keep a maintenance record on this BMP. This maintenance record will be kept in a log in a known set location. Any deficient BMP elements noted in the inspection will be corrected, repaired or replaced immediately. These deficiencies can affect the integrity of structures, safety of the public, and the removal efficiency of the BMP.


Important maintenance procedures:

- Immediately following construction of the stormwater wetland, bi-weekly inspections will be conducted and wetland plants will be watered bi-weekly until vegetation becomes established (commonly six weeks).
- No portion of the stormwater wetland will be fertilized after the first initial fertilization that is required to establish the wetland plants.
- Stable groundcover will be maintained in the drainage area to reduce the sediment load to the wetland.
- Once a year, a dam safety expert should inspect the embankment.

After the stormwater wetland is established, I will inspect it monthly and within 24 hours after every storm event greater than 1.5 inches. Records of operation and maintenance will be kept in a known set location and will be available upon request.

Inspection activities shall be performed as follows. Any problems that are found shall be repaired immediately.

BMP element;	Potential problem:	How I will remediate the problem:
Entire BMP	Trash/debris is present.	Remove the trash/debris.
Perimeter of wetland	Areas of bare soil and/or erosive gullies have formed.	Regrade the soil if necessary to remove the gully, and then plant a ground cover and water until it is established. Provide lime and a one-time fertilizer application.
	Vegetation is too short or too long.	Maintain vegetation at an appropriate height.
Inlet device: pipe or swale	The pipe is clogged (if applicable).	Unclog the pipe. Dispose of the sediment offsite.
	The pipe is cracked or otherwise damaged (if applicable).	Replace the pipe.
	Erosion is occurring in the swale (if applicable).	Regrade the swale if necessary to smooth it over and provide erosion control devices such as reinforced turf matting or riprap to avoid future problems with erosion.



BMP element:	Potential problem:	How I will remediate the problem:
Forebay	Sediment has accumulated in the	Search for the source of the sediment and
•	forebay to a depth that inhibits the	remedy the problem if possible. Remove
	forebay from functioning well.	the sediment and dispose of it in a location
		where it will not cause impacts to streams
		or the BMP.
	Erosion has occurred.	Provide additional erosion protection such
		as reinforced turf matting or riprap if
		needed to prevent future erosion
		problems.
	Weeds are present.	Remove the weeds, preferably by hand. If
		a pesticide is used, wipe it on the plants
		rather than spraying.
	Shallow land remains flooded more	Unclog the outlet device immediately.
	than 5 days after a storm event.	
	Plants are dead, diseased or dying.	Determine the source of the problem:
	·	soils, hydrology, disease, etc. Remedy the
		problem and replace plants. Provide a
		one-time fertilizer application to establish
	Sediment has accumulated and	the ground cover if necessary. Search for the source of the sediment and
	reduced the depth to 75% of the	
	original design depth of the deep	remedy the problem if possible. Remove
	pools.	the sediment and dispose of it in a location where it will not cause impacts to streams
	pools.	or the BMP.
Embankment	A tree has started to grow on the	Consult a dam safety specialist to remove
	embankment.	the tree.
	An annual inspection by appropriate	Make all needed repairs.
	professional shows that the	Trans in rection reputits.
	embankment needs repair.	
	Evidence of muskrat or beaver activity	Consult a professional to remove muskrats
	is present.	or beavers.
Wetland Vegetation	Algal growth covers over 50% of the	Consult a professional to remove and
	deep pool and shallow water areas.	control the algal growth.
	Cattails or other invasive plants cover	Remove all invasives by physical removal
	>25% of the deep pool and shallow	or by wiping them with pesticide (do not
	water areas (a mono-culture of plants	spray) – consult a professional.
	must be avoided)	
	The plant community and coverage is	Restore plant vegetation to approved
	significantly (>25%) different from	condition. If landscape plan needs to be
	approved landscape plan.	adjusted to specify vegetation more
		appropriate for site conditions, contact
	Destruction in the state of the	City Stormwater or Engineering Staff.
	Best professional practices show that	Prune according to best professional
	pruning is needed to maintain optimal	practices.
	plant health.	Determine the garres of theli
	Plants are dead, diseased or dying.	Determine the source of the problem:
		soils, hydrology, disease, etc. Remedy the
		problem and replace plants. Provide a
		one-time fertilizer application to establish the ground cover if necessary.
BMP element:	Potential problem:	How I will remediate the problem:
Micropool	Sediment has accumulated and	Search for the source of the sediment and
	Confidence in accommunication and	content for the source of the settiment and

Permit Number:
(to be provided by City of Wilmington)

l acknowledge and agree by my signature below that I am responsible for the performance of the maintenance procedures listed above. I agree to notify the City of Wilmington of any problems with the system or prior to any changes to the system or responsible party.

Project name:
BMP drainage basin number:
Print name: Michael Baker
Title: Owner
Address: 274 Shappon Dr. Julimington, NC 2845
Phone: 910-459-3222
Signature:
Dute 8 21 14
Note: The legally responsible party should not be a homeowners association unless more than 50% of the lots have been sold and a resident of the subdivision has been named the president.
I, Rebecca E Benson, a Notary Public for the State of
North Carolina, County of New Hanney, do hereby certify that
Michael Raker personally appeared before me this 27th
day of August, 2614, and acknowledge the due execution of the
forgoing filter strip, riparian buffer, and/or level spreader maintenance requirements.
Witness my hand and official seal,
PUBLIC PUBLIC NOTARY
PUBLIC ASS
ANOVER COUNTY
SEAL Rebecon E. D.

My commission expires 10.16.16



STORMWATER MANAGEMENT PERMIT APPLICATION FORM 401 CERTIFICATION APPLICATION FORM

Public Services
Engineering
414 Chestnut St, Suite 200
Wilmington, NC 28401
910 341-7807
910 341-5881 fax
wilmingtonnc.gov
Dial 711 TTY/Voice

WETLAND SUPPLEMENT

This form must be filled out, printed and submitted.

The Required Items Checklist (Part III) must be printed, filled out and submitted along with all the required information.

I. PROJECT INFORMATION	A constitution of the second according	Burg grad Paparagan, 20, 27 pa 22 particles in a
Project name	2001 Deer Island Lane	a valorita e la calenda de
Contact name	Howard Resnik, PE	The Control of the Co
Phone number	910-791-4441	BREDGE CONTROL
Date	November 13, 2014	New York Control of the State o
Drainage area number		(b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d
II. DESIGN INFORMATION	garan jadi tara a	
Site Characteristics		
Drainage area	46,593.00 ft²	
Impervious area	16,454.00 ft ²	
Percent impervious	35.3% %	
Design rainfall depth	1:50 inch	
	and the state of t	
Peak Flow Calculations	284544601922556666555	
1-yr, 24-hr rainfall depth	3.83 in	
1-yr, 24-hr intensity	0:16 in/hr	
Pre-development 1-yr, 24-hr runoff	0.00 ft ³ /sec	
Post-development 1-yr, 24-hr runoff	0.69 ft ³ /sec	
Pre/Post 1-yr, 24-hr peak control	ft ³ /sec	
Storage Volume: Non-SA Waters		
Minimum required volume	2,156:00 ft ³	
	Prin See a g	
Volume provided (temporary pool volume)	2,222,00 ft ³	OK
	7 (20 (20 (13 (15 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	
Storage Volume: SA Waters Parameters		
1.5" runoff volume		
Pre-development 1-yr, 24-hr runoff volume	4 ³	
Post-development 1-yr, 24-hr runoff volume	t ³	
Minimum volume required	ft ³	
Volume provided	h ³	
Outlet Design	****	
Depth of temporary pool/ponding depth (D _{Plants})	12.00 in	OK
Drawdown time	3.03 days	OK
Diawdown (iiiio	5.00 uays	OK
Diameter of orifice	0:75 in	OK
Diamotor of office	CALCAL AND III	UN.
Coefficient of discharge (CD) used in orifice diameter	A CONTROL OF THE CONT	
calculation	0.60 (unitless)	
Driving head (H _o) used in the orifice diameter calculation	0.33 ft	Provide calculations to support this driving head
Sitting frodu (110) used in the chince diameter calculation		Provide calculations to support this driving head.

Surface Areas of Wetland Zones		
Surface Area of Entire Wetland	2,522.00 ft ²	OK ·
Shallow Land	1,009.00 ft²	Insufficient shallow land area.
The shallow land percentage is:	40% %	
Shallow Water	1,009.00 ft²	OK
The shallow water percentage is:	40% %	
Deep Pool	Secretary Management and the	
Forebay portion of deep pool (pretreatment)	252.00 tt ²	Insufficient forebay area.
The forebay surface area percentage is:	10% %	
Non-forebay portion of deep pool	<u>252.</u> 00 tt ²	OK
The non-forebay deep pool surface area percentage is:	10% %	
Total of wetland zone areas	2,522.00 ft ²	OK
Add or subtract the following area from the zones	0.00 ft ²	
Topographic Zone Elevations		
Temporary Pool Elevation (TPE)		
Shallow Land (top)	16.50 ft amsl	
Permanent Pool Elevation (PPE)		
Shallow Water/Deep Pool (top)	15.50 ft amsl	
Shallow Water bottom	15.00 ft amsl	
Most shallow point of deep pool's bottom	15.50 ft amsl	
Deepest point of deep pool's bottom	12.50 ft amsl	
Design must meet one of the following two options:	(0.00	
This design meets Option #1, Top of PPE is within 6" of SHWT, If yes:	y (Y or N)	
SHWT (Seasonally High Water Table)	15.50 ft amsl	OK
This design meets Option #2,		OR
Wetland has liner with permeability < 0.01 in/hr, If yes:	(Y or N)	
Depth of topsoil above impermeable liner	Mary photograph sprints in	·
Topographic Zone Depths		
Temporary Pool	•	
Shallow Land	12.00 in	ОК
Permanent Pool		
Shallow Water	6.00 in	OK
Deep Pool (shallowest)	<u>0.00</u> in	
Deep Pool (deepest)	<u>36.00</u> in	OK
Planting Plan		
Are cattails included in the planting plan?	n (Y or N)	ОК
Number of Plants recommended in Shallow Water Area:	<u></u>	
Herbaceous (4 ⁺ cubic-inch container)	300	
Number of Plants recommended in Shallow Land Area:		
Herbaceous (4 ⁺ cubic-inch container), OR	300	
Shrubs (1 gallon or larger), OR	48	
Trees (3 gallon or larger) and Herbaceous (4+ cubic-inch)	6 and	240
Number of Plants provided in Shallow Water Area:	\$008773989444Q004428034677010Q0g6	
Herbaceous (4 ⁺ cubic-inch container)	252	Higher density is required.
Number of Plants provided in Shallow Land Area:	10000000000000000000000000000000000000	
Herbaceous (4 ⁺ cubic-inch container)	252	More required if not planting shrubs or trees.
Shrubs (1 gallon or larger)	55565 (5.8.04.000) (6.8.1.5) (6.6.1.5) 	
Trees (3 gallon or larger) and		
Grass-like Herbaceous (4+ cubic-inch)		

Additional Information

Additional information		
Can the design volume be contained?	y (Y or N)	OK
Does project drain to SA waters? If yes,	N (Y or N)	Excess volume must pass through filter.
What is the length of the vegetated filter?	ft	
Are calculations for supporting the design volume provided in the application?	y (Y or N)	OK
Is BMP sized to handle all runoff from ultimate build-out?	y (Y or N)	OK
Is the BMP located in a recorded drainage easement with a	(Y or N)	
recorded access easement to a public Right of Way (ROW)?	(1 Of N)	
The length to width ratio is:	2.77 :1	OK
Approximate wetland length	86.00 ft	
Approximate wetland width	31.00 ft	
Approximate surface area using length and width provided	2,666.00 ft ²	This approx. surface area is within this number of square feet of the entire wetland surface area reported above:
Will the wetland be stabilized within 14 days of construction?	(Y or N)	OK .